HÄFELE

Maximising
the value of space.
Together.




www.hafeleindia.com


INNOVATIVE FURNITURE HARDWARE AND ACCESSORIES


HÄFELE

KITCHEN SETTING



BATHROOM SETTING





K LINE WITH RUBBER PAD

Fresh & slim design used for both wood and glass. In case of glass, use rubber pad additionally.

	Cat. No.
Ø5 pin	284.84.711
Rubber pad	284.84.990

Packing: 1 piece




PEKI

Rounded design for 10mm glass shelves.
90° screw pin rotation to lock/unlock the shelf for safe transportation and shelf repositioning.

	Cat. No.
Ø5 pin	284.04.611

Packing: 1 piece



KUBIC

Modern squared design for 4 to 8 mm glass shelves.
Sliding clip to lock the shelf for safe transportation and shelf repositioning.

	Cat. No.
Ø5 pin - body	284.04.641
Upper plate	284.04.643

Packing: 1 piece



GRACE

New

The new detail for glass shelves 5-6 and 8 mm thick, defined by minimalist shapes and a slim design. Shelf locking for domestic safety. Available in nickel, chrome, and black.

SPECIAL ORDER



FLIPPER

Made of plastic housing and steel pin, the shelf is locked/unlocked with a simple click. Ideal to avoid domestic injuries and for shelf repositioning.
Different steel pin options.

	Cat. No.
Housing white	263.07.007
Housing alu. grey	263.07.001
Euro pin	263.20.002
Ø5 smooth pin	263.20.004

Packing: 1 piece



UNICO

Elegant die cast design with a sliding clip to ensure safe transportation & easy shelf repositioning.
Different pin options.

	Cat. No.
Ø5 smooth pin	262.37.700
Ø3 smooth pin	262.37.710
Ø5 threaded pin	262.37.720

Packing: 1 piece




KINTAI

Minimal and elegant design.
Spring mechanism which locks the shelf for safe transportation.
Reposition shelf using sliding clips to unlock.

	Cat. No.
Ø5 pin - anthracite	262.37.721

Packing: 1 piece



TRIK

New

New solution for invisible shelf support which is completely hidden even on bifacial furniture providing structural fastening. Available for min 12mm and 16 mm panel thickness.

SPECIAL ORDER



PUSH TO OPEN TRIGGER

Concealed and attractive sleek adapter housing in white/anthracite/light grey colours. Short L.20 mm and Long L.37 mm - 1.4 mm only for its activation - 7 mm of adjustment. Magnet for unsprung/opposite hinge and buffer for standard hinge applications. Standard spring and also strong spring for heavy duty doors/flap doors.

	Cat. No.
20mm - Recess mounted - grey colour	
Strong, buffer	356.12.614
Strong, magnet with retaining catch	356.12.562
20mm - Surface mounting - grey colour	
Shell & plate	356.12.534
37mm - Recess mounted - grey colour	
Standard, buffer	356.12.517
Standard, magnet with retaining catch	356.12.508
37mm - Surface mounting - grey colour	
Shell & plate	356.12.524

Packing: 1 piece

Note: White and anthracite colours also available in stock.



K LOCK

To safely keep the door closed, suitable for unsprung and flap/piano hinges. Concealed Ø 10 mm hole and adapter housing. Gap adjustment by rotating the head.

Light grey colour	Cat. No.
K Lock	356.01.550
Adapter housing	356.01.700
Door plate Ø 3 mm pin	246.01.555
Door plate screw fix	246.03.910

Packing: 1 pair




BI-MATERIAL & SOFT

To be inserted behind doors and drawers.
Rigid pin for easy installation and soft buffer to absorb door closing.

	Cat. No.
Bi-Mat Ø 5 mm	356.20.423
Soft Ø 10 mm	356.20.521

Packing: 1 piece

HÄFELE




KRABY LIFT UP AND DROP DOWN

Lift up and Drop down gas systems for wide range of cabinet shutters.
Premium and exclusive cylinder finish and die cast design with opening angle adjustments.

	Cat. No.
Kraby lift up automatic	
L. 244 mm - 80N	372.00.702
L. 244 mm - 100N	372.00.703
L. 355 mm - 120N	372.00.707
Kraby lift up friction	
L. 244 mm - 60N	373.86.742
L. 244 mm - 90N	373.86.743
Kraby drop down	
L. 244 mm	365.65.700

Packing: 1 set



K12 LIFT UP AND DROP DOWN

A new concept of elegance with reduced diameter of the gas cylinder in exclusive finish and minimal die cast design with opening angle adjustment.

	Cat. No.
K12 lift up automatic	
L. 244 mm - 50N	372.05.004
L. 244 mm - 80N	372.05.006
K12 drop down	
L. 244 mm	365.60.700
L. 355 mm	274.50.951

Packing: 1 set



KIMANA

Boasting a minimalistic and elegant design, Kimana also has a unique and exclusive movement.
3D adjustment and spacers for different cabinet/door thicknesses.

	Cat. No.
Nickel	342.73.610
Black nickel	342.73.310

Packing: 1 pair




KIARO

Inspiring new design and minimalistic shape hidden behind the back panel. The two-handed mechanism suits both sides featuring variable strength settings.
Highly strong wire slowing down the door and open-angle adjustment.
Also comes with Integrated LED light.

	Cat. No.
Kiaro T-met	
Kiaro	356.47.110
Kiaro Gunmetal	
Kiaro	356.47.111

Packing: 1 piece



KIARO EASY

Our new elegant opening system for drop-down doors which is defined by minimalist shapes and smooth movement. Easily installed on either side.it comes with 2 references Soft & Strong to slow down a wide range of door sizes – min/max door weight 1,6 / 6,7 Kgs & min door height-200 mm.
Same highly strong wire conceived for Kiaro and open-angle adjustment. Available in white, grey, anthracite, and brown for a clean combination with your style.

SPECIAL ORDER




KRABY FOR WRITING DESK

The latest evolution of our Kraby system & the exclusive solution for writing desks. Sturdy and elegant, Kraby is ideal for your home office and study room, suitable for wider doors and lesser cabinets depth thus optimizing the use of smaller spaces.

SPECIAL ORDER


DRILLING JIGS

Practical drilling jigs guarantee the easiest manual drilling processes for the assembly of cabinet units without the use of industrial types of machinery. The reduced weight and dimensions make the drilling jigs suitable even for use on the building site.
The information printed on the surface of the jig helps for friendly use.




TARGET

SPECIAL ORDER




SIDE PANELS

SPECIAL ORDER



SHELF SUPPORTS

SPECIAL ORDER




CONNECTINGS

SPECIAL ORDER




TRIADE

SPECIAL ORDER



PUSH TO OPEN TRIGGER

SPECIAL ORDER



REKORD TECH

SPECIAL ORDER




TARGET J10

Strong and easy solution for connecting cabinets with worm gear mechanism.
Small 10 mm diameter makes it aesthetically minimalistic. It can be pre-assembled in the panels and fixed at site in minutes.

	Cat. No.
Sleeve	262.11.020
Panel 18 mm thick	
Pinion Ø10	262.11.051
Panel 25 mm thick	
Pinion Ø10	262.11.052
Jig set	001.15.160
LH7.28 leveller	637.97.910

Packing: 1 piece



TARGET J12

Strong and easy solution for connecting cabinets with worm gear mechanism.
It has 12 mm diameter for connecting the cabinet as well as adjusting the leveller.
It can be pre-assembled in the panels and fixed at site in minutes.

	Cat. No.
Sleeve	262.11.021
Panel 18 mm thick	
Pinion Ø12	262.11.027
Panel 25 mm thick	
Pinion Ø12	262.11.029
Jig set	001.15.160
Integrato A lev.	637.97.911

Packing: 1 piece




ATACAMA J

Brilliant 3-in-1 product design easing the construction of cabinets with skirting featuring connector, leveller and support for skirting clip.

	Cat. No.
Atacama J	637.23.900
Special Key	008.28.290

Packing: 1 piece



KROSS 8

Kross 8 is a simple and practical joint that can be premounted directly into the panel. Minimal visibility with 8mm barrel, coupled with grub screw resulting in strong fastening capacity. Ideal for a wide range of panels 14mm (min), with mitre application.

SPECIAL ORDER



ELEFANT

Strength with minimal and elegant shape.Conceived for heavy duty wardrobe and modular furniture, is featuring a worm-gear inside which allows an easy and strong fastening. It can be pre-assembled into the panel without obstructing the packaging.

	Cat. No.
Panel 18 mm thick	
	263.10.501
Panel 25 mm thick	
	263.10.502

Packing: 1 piece



PK2

Join any shelf and side including top and bottom by rotating in-built minifix 90° to obtain a click for lock position. Easy shelf repositioning by reversing the operation.

	Cat. No.
Panel 18 mm thick	
Round body	263.67.556
Side bracket	263.50.155
Panel 25 mm thick	
Round body	263.67.574
Side bracket	263.50.173
Template	132.75.759

Packing: 1 piece



PK2 PRO

New version of PK2 with refined design of side bracket resulting in slimmer aesthetics with neat cover cap hiding the in-built minifix, which provides added value in design of furniture. Available in nickel and black with covers cap in white, grey and anthracite.

SPECIAL ORDER



VIS

Especially conceived to join bed sides and panels. It boasts two different tightening positions, standard + and strong ++, which helps in case of inaccurate drillings, or for refreshing the tightening, without dismounting the whole structure.

	Cat. No.
Set of 4 pieces	262.01.051

Packing: 1 set



INTEGRATO G

Leveller with 25mm height adjustment and 175 kgs load capacity with in-built glide that prevents floor scratching.

	Cat. No.
	637.67.910

Packing: 1 piece



INTEGRATO Z

Conceived for units with weight-bearing bottoms. Leveller with 10 mm height adjustment and 175 kgs load capacity with in-built glide that prevents floor scratching.

	Cat. No.
	651.16.300

Packing: 1 piece



REKORD TECH

Concealed leveller with Ø12mm body to be inserted into side panel. Available in square and round base shape with several height options with 10-25 mm adjustment. Can be adjusted through Ø6mm hole with S4 allen key from side panel for cabinets weighing upto 150 kg /leveller.

SPECIAL ORDER



PLINTH CLIP

Harmonic steel clip and steel dowel with Ø 5 mm wood thread.
The plinth clip is horizontally pressed and clicks on the steel dowel.
Extremely fast and stable installation.

	Cat. No.
Euro pin	020.90.914
Plinth clip	283.64.918

Packing: 1 piece




LIBRA H1

For wall units, positioned behind the back panel.
Excellent load capacity, 3D adjustments and cover caps to make it discreet.
Comes with in-built anti-turnover lock.

	Cat. No.
Set of 2 pieces.	290.41.750

Packing: 1 set




LIBRA H7 AND ALU BARS

Conceived for suspended base units.
Excellent load capacity, 3D adjustments and cover caps to make it discreet.
Optional aluminium bars for even better capacity loading and stability.
Comes with in-built anti-turnover lock.

	Cat. No.
Libra H7 cabinet hanging set	290.41.754
Aluminium rail 40x2500 mm	290.01.050
Aluminium rail 80x2500 mm	290.01.090
Cover white - right	290.36.750
Cover white - left	290.36.751

Packing: 1 piece



CONCEALED HANGER

Concealed hanging bracket for fixing mirrors, panels and small wall cabinets.
Excellent capacity loading and quick installation, providing wide adjustment left/right and up/down.

	Cat. No.
Set of 2 pieces.	291.04.312

Packing: 1 set




SH - ANTI-TIP BRACKETS

New

Safety hanger (SH) is the new anti-tip system for Cabinets with or without back panels, such as closets for bedrooms and living rooms, which prevents furniture from tipping.

SPECIAL ORDER



TRIADE SHELVING SYSTEM AND T BRACKETS

Excellent load capacity with 3D adjustments to ensure perfect installation.
Use additional T-bracket or aluminium channel for anchoring support in case of weaker walls.

	Cat. No.
Triade from 30-40 mm thick	
Triade shelf support	283.39.010
Triade bracket	283.39.019
Triade Maxi over 40 mm thick	
Triade Maxi shelf support	283.39.012
Triade Maxi bracket	283.39.021
Pan head M5 screw for the bracket	
2 pcs each bracket	013.09.008
Jig set	356.12.091

Packing: 1 piece



TRIADE SLIM

New

With ever increasing demand for thinner panels, Triade slim is new solution for shelves in 18 mm thickness with all the features of Triade like 3D adjustment to ensures perfect installation with excellent weight capacity.

SPECIAL ORDER



MOON S, MOON WOOD AND GLASS SHELVING SYSTEMS

Inspiring new design, ideal for both wood and glass shelves for heavy duty load.

	Cat. No.
Moon S from 4-25 mm thick	
Black matt	282.84.370
Bright chrome	282.84.270
Moon from 15-50 mm thick	
Black matt	282.84.371
Bright chrome	282.84.271

Packing: 1 pair



KALABRONE

Modern and squared design, ideal for both wood and glass shelves, performing heavy duty load. Useful 2D adjustments to perfectly align and tilt the shelf against the wall.

	Cat. No.
Kalabrone from 8-30 mm thick	
Inox	284.09.280
Chrome	284.09.080
Silver	284.09.980

Packing: 1 pair



KALABRONE MINI


Sleek design with the shelf safely clamped between soft rubber layers.
For 5 to 10 mm thick glass shelves.

	Cat. No.
Satin nickel	284.09.030
Polished chrome	284.09.230
Silver coloured	284.09.930


Packing: 1 piece

HÄFELE

LIVING SETTING



BEDROOM SETTING



Mumbai Design Centre:
Haji Moosa Patrawala Ind.(SOBO) Estate, Near Famous Studio, Mahalaxmi (West), Mumbai - 400 011
Tel.: 022 6264 7100

Mumbai Design Centre:
#2 Filix Building, Opp. Asian Paints, L.B.S. Marg, Bhandup (West), Mumbai - 400 078
Tel.: 022 2596 9660 / 2596 9787 / 2594 7305

Pune Design Centre:
Showroom No. 2, Ground Floor, F P No. 403, A/2, ICC Trade Tower, Senapati Bapat Marg, Shivaji Nagar, Pune - 411 016
Tel.: 020 2563 3301
Fax: 020 2563 3302

Pune Office:
Office No. 12, Vastushree Complex, Survey No.587, Near Hyde Park, Gultekdi, Market Yard, Pune - 411 037
Tel.: 020 2426 6264
Fax: 020 2426 6274

Ahmedabad Office:
Häfele India Pvt. Ltd., Office No. 302, 3rd Floor, Shangrila Arcade, Near Shyamal Cross Road, Satellite, Ahmedabad - 380 015
Tel.: +91 79695 55505 / 88662 20505

New Delhi Office & Design Centre:
D-89 , 1st Floor, Okhla Phase-I, New Delhi - 110 020
Tel.: 011 6657 4999
Fax: 011 4160 5482

Chandigarh Office:
Godrej Eternia, Wing A, 2nd Floor, WL2, Plot No.70, Industrial Area Phase I, Chandigarh - 160 002
Mob.: +91 85588 44448

Jaipur Office:
Airport Plaza, Plot No.15, 1st & 2nd floor, Tonk Road, Next to Cocoon Hospital, Jaipur, Rajasthan - 302 016
Mob.: +91 98887 77796

Kolkata Design Centre:
PS PACE, Premises No. 1/1A, Mahendra Roy Lane, Topsia, Kolkata - 700 046
Tel.: 033 4008 6814 / 4008 9268
Fax: 033 2498 8020

Kolkata Office:
Office No. 1001, PS Continental, 10th Floor, 83/2/1 Topsia Road, Near Vishwakarma Building. South Kolkata - 700 046
Tel: 033 2285 0104 / 5 / 6

Bangalore Office & Design Centre:
Incubex Nestavera Spaces Pvt Ltd, No:13, Langford Place, Langford Road, Shanti Nagar, Bangalore - 560 025
Tel.: 080 4132 6116
Fax: 080 4132 6226

Bangalore
Häfele Appliances Gallery:
No. 2/1, Shiv Manor, Langford Road, Shantinagar, Bangalore - 560 027
Tel.: 080 4142 6336

Hyderabad Office & Design Centre:
SJR Building - # 1-57/89/1 & 1-57/89/2 Opp Allahabad Bank, Gachibowli, Hyderabad - 500 032
Tel.: 040 2955 7578 / 88

Chennai Office & Design Centre:
1st Floor No.24, College Road, Nungambakkam, Chennai - 600 006
Tel.: 044 4215 1542
Fax: 044 2446 0922

Cochin Office:
Jomer Symphony, 5th Floor, 48/1744 C34, Chalikkavattom, North Ponnurunni, Vyttila, Cochin - 682010

Sri Lanka:
Häfele Office and Design Centre:
52, Nandana Gardens (On Duplication Road), Colombo 04.
Tel: +94 112 500 501
Fax: +94 112 500 553

Häfele Design Centre:
448, Galle Road, Rawathawatta, Moratuwa, Sri Lanka.
Tel.: +94 112 644 600

Häfele Design Centre:
752, Peradeniya Rd, Kandy, Sri Lanka.
Tel.: +94 812 223 338

Bangladesh Office:
2nd Floor, House - 181, Road - 2, Mohakhali DOHS, Dhaka - 1206.
Tel.: 018 4401 8431 / 32 / 33 / 37

Bangladesh Design Center:
House - 106, Road - 12, Block - E, Banani, Dhaka - 1213
Tel.: +880 2 - 4881 0380 / 81

Nepal:
UHS Holdings Pvt. Ltd.
Kathmandu-2, Gairidhara Chowk, Nepal.
Mob.: +977 98023 38800

Bhutan:
SMART HOMES
Gr. Floor, Druk Building (Opp Helipad)
Babesa -Thimpu Expressway, Thimpu
Tel.: +975 - 2 - 333 419
Mob.: +975 - 7727 7615 / 1783 9717 / 7711 4228 / 1760 0663 / 1766 9840

HÄFELE

Maximising the value of space. Together.

Häfele India Private Limited
Office No. 3, Building "A", BETA, I Think Techno Campus, Off J.V.L.R, Opp. Kanjurmarg East, Mumbai – 400 042.
Tel: 022 6142 6100 I **Fax:** 022 6702 0531.

Toll Free Customer Care No.:1800 266 6667
Customer Care WhatsApp No.: +91 9769111122
info@hafeleindia.com
customercare@hafeleindia.com

Follow us on

GET IT ON Google Play
Download on the App Store