HÄFELE

Maximising
the value of space.
Together.



SLIDO.

IDEAS IN MOTION.

www.hafele.com

WHAT DO YOU WANT TO MOVE?

The most comprehensive combination of expertise and design: Slido by Häfele provides technically sophisticated sliding solutions for all living and business areas. Be it for interior doors, partition wall systems, room solutions or furniture doors – Slido is the system for every application, and puts your design ideas in motion. With the motto MAXIMISING THE VALUE OF SPACE, we aim to create optimal solutions TOGETHER with our customers. Space-saving. Functional. Economical.



Slido Door.

Sliding solutions for room doors.
From page 20



Slido Furniture.

Sliding solutions for furniture.
From page 4



www.hafele.com.de/slido

R Slido Room.

Sliding solutions for room concepts.
From page 32





W Slido Wall.

Sliding solutions for partition wall systems.
From page 36



SLIDO

SLIDO FURNITURE.

STYLE IN MOTION.

Creativity knows no technical boundaries: This is why Slido Furniture has solutions for every kind of furniture door sliding movement. In order to make selection and processing as simple as possible, our product families offer you the widest possible range of variants for a hardware solution.







FLUSH

Flush-fitting.

Slido F-Flush51

Slido F-Flush57

www.hafele.com.de/slido-furniture



FOLD **Folding.**

Slido F-Fold61

LINE **Linear.**

Slido F-Line16
Slido F-Line18
Slido F-Line21
Slido F-Line42
Slido F-Line44

PARK **Pivot sliding.**

Slido F-Park71
Slido F-Park72

SLIDO FURNITURE

SLIDO F-LINE21.

LOW-KEY DIVERSITY.

The delicate construction of the running gears and track make Slido F-Line21 the perfect solution for lightweight sliding doors. Thanks to the soft closing mechanism that is integrated into the running gear and concealed in the track, as well as numerous design options, Slido F-Line21 is the all-rounder for all applications from Vorfront to Infront and Mixfront furniture with wooden, glass or aluminium frame doors. Thanks to the impressively simple processing and installation steps, Slido F-Line21 is the favourite for modern living solutions.









Slido F-Line21 A

> Top-running integrated Vorfront solution for furniture with 1 door
> Door weight up to 20 kg




Slido F-Line21 B

> Mixfront solution for furniture with 1 or 2 doors
> Running track beneath cabinet top panel, guide part or guide track in front of cabinet base panel
> Door weight up to 20 kg or 40 kg





Slido F-Line21 C

> Infront solution for furniture with 1 or 2 doors
> Door weight up to 12 kg, 20 kg or 40 kg



www.hafele.com.de/slido-f-line21











Slido F-Line21 H

> Vorfront solution for doors running on top of each other
> Running track in front of the top panel, with option of using it as a guide track for doors above
> Door weight up to 20 kg or 40 kg




Slido F-Line21 D

> Infront system for 1 or 2 glass doors
> Door weight up to 12 kg or 20 kg



Slido F-Line21 F


> Infront solution for 2 aluminium frame doors
> Door weight up to 20 kg



SLIDO F-LINE18.

STABLE AND SMART.

For medium-weight applications and less solid designs: Slido F-Line18 supports doors from a thickness of 16 mm and up to 50 kg, which are closedgently and quietly thanks to the integrated soft-close mechanism. The bottom-running fitting is suitable for cabinets with a stable plinth. The construction is as strong and easy to handle as it is easy to install: the runners and guide rails can be screwed on or recessed into the furniture.









Slido F-Line18 50A

- Bottom-running Infront sliding door fitting for 2 and 3-door applications
- Door weights of up to 50 kg
- Soft and self closing mechanism integrated in the track
- Surface mounted or recessed mounting possible


Recess mounted track
Surface mounted running gears



Surface mounted



Recess mounted




www.hafele.com.de/slido-f-line18

SLIDO F-LINE16.

EXCELLENT DAMPING.

Slido F-Line16 allows heavy door weights to glide smoothly and is a pleasure to operate – for example, for guests in a designer hotel. The fluid soft and self closing mechanism cushions the movements of doors starting from a width of 650 mm and weighing up to 80 kg in a particularly gentle and controlled manner. In addition to the technology, the system also has additional design options: Slido F-Line16 80A is also available in stylish black. The series can be visually rounded off with an inconspicuous clip cover.








Slido F-Line16 80A

> Infront sliding door fitting for 2, 3 and 4-door applications
> Low opening force
> Door weights up to 80 kg
> Simple cabinet construction
> Available with optional designer clip cover and in the trendy colour black



Slido F-Line16 80B

> Mixfront sliding door fitting for 2, 3 and 4-door applications
> Low opening force
> Door weights up to 80 kg
> Simple cabinet construction
> Available with optional designer clip cover




www.hafele.com.de/slido-f-line16

SLIDO F-LINE14.

COMFORT MADE FROM GLASS.


The Slido F-Line14 is extremely convenient to install.
The running gears are integrated in the profile and are fitted with a single manual operation. There is also no need for silicone. The glass surfaces therefore remain visually clean and free for the product presentation. The 6 or 8 mm thick panes of glass slide smoothly on the roller system – and handle elements are also available. Dialock or mechanical locks can be installed for secure use, e.g. for display cabinets or in cash register areas.





Slido F-Line14 25A

- Bottom-running Infront solution for 1, 2 and 3-door glass doors
- For glass thickness of 6 and 8 mm
- Available with optional lock solution




www.hafele.com.de/slido-f-line14

SLIDO F-LINE44.

FLOOR-TO-CEILING REFINEMENT.

A front fitting for 19 to 40 mm-thick sliding doors weighing up to 80 kg. Ideal even for floor-to-ceiling furniture, and also quick to install: No tools are required either for installation of the running and guide tracks, for the soft and self closing mechanisms or for adjustment of the door overlap; guide parts are attached automatically. As a result, the high-quality Slido F-Line44 moves with the latest state of technology.
Design enthusiasts can also freely combine it with aluminium frame doors.








Slido F-Line44 80A

> Mostly tool-free installation
> Suitable for floor-to-ceiling applications
> Guide parts hook in automatically
> Automatic anti-derailment device activation
> All closing and opening positions can be dampened
> Low opening force
> For timber and aluminium framed doors



Slido Furniture 90° aluminium frame door

> Available in silver and anodized black
> Simplified design
> Simple installation thanks to slide-in adapter
> Available with bar profiles for screw fixing or gluing on

www.hafele.com.de/slido-f-line44

SLIDO F-LINE42.


DESIGNING WARDROBES.

Slido F-Line42, with its comprehensive modular Vorfront system and customised quick-assembly technology, provides unlimited design freedom for the wardrobe – with the option of E-Drive and Synchro opening.




Slido F-Line42 50A

- Top-running Vorfront solution with bottom roller runner
- Running track in front of cabinet top panel
- Sets for 2, 3 or 4 doors (4 doors: with optional Synchro opening)
- Door weight up to 50 kg
- With optional e-drive
- With easy height adjustment



www.hafele.com.de/slido-f-line42









Slido F-Line42 50B

- Top-running Vorfront solution with bottom roller runner or guide rail
- Running track in front of cabinet top panel
- Sets for 2, 3 or 4 doors (4 doors: with optional Synchro opening)
- Door weight up to 50 kg
- With optional e-drive



Slido F-Line42 50C


- Top-running Vorfront solution for aluminium frame doors with bottom roller runner or guide rail
- Running track in front of cabinet top panel
- Sets for 2, 3 or 4 doors (4 doors: with optional Synchro opening)
- Door weight up to 50 kg
- With optional e-drive




SLIDO F-FLUSH57.

SIMPLE AND BEAUTIFUL.

Be it a base unit, knee wall shelf or kitchen wall unit: When you otherwise pay a lot of money for a flush sliding solution, Slido F-Flush57 has been developed as a cheaper and uncomplicated alternative. Doors from only 8 mm thick create an aesthetic front with a flush appearance. The system also impresses with its very quick assembly.








Slido F-Flush57 08A

- Bottom-running Infront solution for flush doors
- Set for 2, 4 or 6 doors
- For door thicknesses of 8–16 mm
- Quick and easy installation
- Optionally lockable




www.hafele.com.de/slido-f-flush57

SLIDO F-FLUSH51

ELEGANT AND FLUSH.


Slido F-Flush51 is the flush fitting for a wide variety of applications. The comprehensive system with integrated damping and a modular construction kit leaves nothing to be desired for flat designs, from aluminium frames to electric drives to the selection of accessories.





Slido F-Flush51 60A

- Top-running Vorfront solution for flush doors
- Running track on the cabinet top panel
- Sets for 1, 2, or 3 doors.
- Door weight up to 40 kg or 60 kg
- Available with optional electric drive and motion sensor for contactless opening and closing




www.hafele.com.de/slido-f-flush51

SLIDO F-FOLD61.

COMPACT COMFORT.


Slido F-Fold61 sets design accents for optimal access to the cabinet contents. The unique folding system has no bottom guide yet stable and comfortable running characteristics, in a wide variety of applications from wardrobes to kitchens.





Slido F-Fold61 25A/50A


- Vorfront, Mixfront or Infront folding sliding solution for wooden or aluminium frame doors without bottom guide
- For pairs of doors up to 1,200 mm wide
- Door weight up to 25 kg or 50 kg
- For use with standard hinges



www.hafele.com.de/slido-f-fold61

SLIDO F-PARK71.

FOR PIVOT SLIDING STARTER.



Long service life and affordable technology: many parking systems are available either at a great price or in a small format.
With Slido F-Park71, on the other hand, single-door applications up to an impressive height of 2,300 mm are possible in the low-cost entry-level segment.
The storage of the doors at the side creates free space, whereas fitters save time because of the simple construction. The solution also comes with hinges with soft closing mechanism for pleasant use.




Slido F-Park71 16A

- Vorfront or Infront pivot sliding door fitting for wooden doors
- Door weight up to 16 kg
- Door heights of up to 1,500 mm
- With synchronised control
- Easy installation

Slido F-Park71 25B

- Vorfront or Infront pivot sliding door fitting for wooden doors
- Door weight up to 25 kg
- Door heights of up to 2,300 mm
- With synchronised control
- Easy installation
- With concealed hinges with soft closing mechanism



www.hafele.com.de/slido-f-park71

SLIDO F-PARK72.


SMART ORGANISATION.

Slido F-Park72 conceals everything that detracts from the ambience of an appealing front panel. When the furniture is opened, the pivot sliding elements are concealed next to the furniture and provide unobstructed access to conference or building technology, kitchen utensils or clothing in the hotel room. It's even easier with the handle-free touch system, which opens and closes automatically with a brief push on the doors. Thanks to pre-assembly and easy installation steps, the space magician is ready in no time.





Slido F-Park72 50A

- Vorfront or Infront pivot sliding solution for wooden doors. Also suitable for recessed installation
- Sets for 1 door
- Door weight up to 50 kg
- Pre-assembled delivery for quick and easy installation
- With soft and self closing mechanism integrated in the hinges
- Suitable for applications with handles or handle profiles



www.hafele.com.de/slido-f-park72






Slido F-Park72 50E with push operation

> Pivot sliding door fitting for 2-door applications
> Suitable for applications without handles
> Handle-free opening and closing of doors thanks to Push-to-Open and Push-to-Close
> Possible to plan without a configurator
> Vorfront or Infront pivot sliding solution for wooden doors
> Also suitable for recessed installation



Slido F-Park72 50E with self closing mechanism

> Pivot sliding door fitting for 2-door applications
> Suitable for applications with handles or handle profiles
> Doors close fully automatically with a push
> Possible to plan without a configurator
> Vorfront or Infront pivot sliding solution for wooden doors
> Also suitable for recessed installation



SLIDO DOOR.

VARIETY IN MOTION.

Sliding doors open up (free) space: with their space-saving function, the sophisticated solutions from Slido Door give rooms a new feeling of spaciousness and also give you design freedom thanks to their extensive design options. The ease of use and gentle sliding comfort make Slido Doors ideal companions when you are planning innovative room experiences.








FOLD **Folding.**
Slido D-Fold21

www.hafele.com.de/slido-door



LINE **Linear.**

Slido D-Line11
Slido D-Line12
Slido D-Line802
Slido D-Line41
Slido D-Line42
Slido D-Line43



SLIDO DOOR

SLIDO D-LINE11.

ONE FOR ALL.

Slido D-Line11 is characterised by having a coordinated modular system for wooden or glass doors in different weight classes and applications: The uniform track and accessory system gives you design freedom from wall or pocket installations to (integrated) ceiling installation, Synchro opening and also stacking. The new generation with the soft and self closing mechanism with fluid technology and the optional Push-to-Open function provide easy, convenient and gentle operation, even with heavy loads.











Slido D-Line11 P

- For wooden sliding doors
- Ceiling installation or wall mounting
- Suspension with screwed-on support flange
- Front panel height 68 mm
- Door leaf weights up to 50 kg, 80 kg, 120 kg, 160 kg or 240 kg
- Synchronised opening




Slido D-Line11 C

- For wooden and frame sliding doors
- Ceiling installation or wall mounting
- Suspended with recessed flange clip
- Aperture height 38 or 56 mm
- Door leaf weights up to 50 kg, 80 kg, 120 kg, 160 kg or 240 kg
- Profiles available in black




Slido D-Line11 I

- For wooden sliding doors
- Ceiling installation or wall mounting and wall pocket installation
- Suspended with integrated support flange
- Front panel height 33 mm
- Door leaf weights up to 50 kg, 80 kg, or 120 kg



www.hafele.com.de/slido-d-line11









Slido D-Line11 L

- For glass sliding doors
- Ceiling installation or wall mounting
- Suspended with glass clamp connection without glass preparation
- Front panel height from 33 mm
- Door leaf weights up to 50 kg, 80 kg, 120 kg, 160 kg or 240 kg



Slido D-Line11 J

- For glass sliding doors
- Ceiling installation or wall mounting
- Suspended with positive-fitting glass clamp connection (glass preparation required)
- Front panel height from 33 mm
- Door leaf weights up to 50 kg, 80 kg, or 120 kg



SLIDO D-LINE12.


COMFORT AND STYLE.

Slido D-Line12 provides maximum installation convenience thanks to the easily accessible track with removable panel. The optional fixed element connection and wall spacer profiles open up additional areas of application for wooden and glass sliding solutions, with optional integrated ceiling installation, fixed element and also with Synchro opening. The available unusual surface in black offers an additional design boost.




Slido D-Line12 50F / 80F / 120F

- For glass sliding doors
- Ceiling installation or wall mounting
- Suspended with glass clamp connection without glass preparation
- Front panel height 60 mm
- Door leaf weights up to 40 kg, 50 kg, 80 kg, or 120 kg
- Adjustable door height




www.hafele.com.de/slido-d-line12





Slido D-Line12 50E / 80E / 120E


- For wooden sliding doors
- Ceiling installation or wall mounting
- Suspended with screwed-on support flange
- Front panel height 60 mm
- Door leaf weights up to 40 kg, 50 kg, 80 kg, or 120 kg
- Adjustable door height



SLIDO D-LINE802

DESIGN MOVES.

The special feature of the Slido D-Line802 single and double sliding door system is the sophisticated design element: a distinctive stainless steel roller in a full circle or circle segment shape. Slido D-Line802 is available for wooden and glass doors for wall mounting or ceiling installation.









Slido D-Line802 150T

> For wooden sliding doors
> Ceiling installation or wall mounting
> Guide track height 45 mm
> Door weights up to 150 kg
> Circle segment roller made from stainless steel



Slido D-Line802 150U

> For glass sliding doors
> Ceiling installation or wall mounting
> Guide track height 45 mm
> Door weights up to 150 kg
> Full circle roller made from stainless steel




www.hafele.com.de/slido-d-line802

SLIDO D-LINE41.

UNBEATABLY LIGHT.

Häfele Slido D-Line41 has been unparalleled on the market to date. The system is easy to operate with very little opening force. With its purist, elegant design and concealed running technology, it also meets the highest visual demands. It is therefore the perfect companion for indoor passage doors, and ideal for use in public buildings with heavy public traffic. The track is optionally available in either silver coloured or black.








Slido D-Line41 50X/80X

- For wooden sliding doors
- Wall mounting
- Running track height 65 mm
- Door weights up to 50 or 80 kg
- Adjustable door height




www.hafele.com.de/slido-d-line41

SLIDO D-LINE42.

MODERN VINTAGE DESIGN.


Retro meets modern: Slido D-Line42 is a rustic sliding fitting with visible technology and a graphite black finish. And a popular classic. What was once used to move machine hall or barn doors, is now used in contemporary interior design to combine sliding convenience with an original appearance. An eye-catcher for lofts and hotel suites, in customised houses and spaciously designed apartments.





Slido D-Line42 100S

- For wooden sliding doors
- Wall mounting
- Running track height 40 mm
- Door weights up to 100 kg
- Adjustable door height





www.hafele.com.de/slido-d-line42

SLIDO D-LINE43.

FLOATING ELEGANCE.

Wooden and aluminium framed doors move as if by magic and open the full passage width. Slido D-Line43 ensures elegant design without visible fittings. On hard floors, a bottom track can even be dispensed with as the bottom guide is also invisibly integrated.









Slido D-Line43 80M

> For wooden sliding doors
> Wall mounting
> Concealed running equipment
> Door weights up to 80 kg



Slido D-Line43 80N

> Sliding frame door
> Wall mounting
> Concealed running equipment
> Door weights up to 80 kg
> Frame in black or silver anodized colour



www.hafele.com.de/slido-d-line43

SLIDO D-FOLD21.


FOLDING SPACIOUSNESS.

SLIDO D-Fold21 is used where the opening area of a hinged door would interfere with furniture or freedom of movement. As a result, there is more room to manoeuvre per square metre – especially with the space-saving 1.5 door version. The fitting is recess-mounted or screwed to a soffit or the ceiling.
The running track is covered by a slim clip panel.
There is also no need for the bottom track if centre suspension is selected rather than corner suspension. The silver or black fittings provide colourful touches.




Slido D-Fold21 50A/50B

> Space-saving 1.5 door version
> For wooden folding doors
> Centre suspension
> Soffit or ceiling installation
> Running track height with panel 40 mm
> Folding door weight up to 50 kg
> Folding door with adjustable height




www.hafele.com.de/slido-d-fold21





Slido D-Fold21 50A/50B

- Systems with up to 5.5 or 6 folding door leaves per side
- Space-saving 1.5 door version
- For wooden folding doors
- Corner suspension
- Integrated soffit or ceiling installation
- No running track visible
- Folding door weight up to 50 kg
- Folding door with adjustable height



SLIDO ROOM.

ACCENTS IN MOTION.

Space is a luxury product. Using it properly is a challenge. Slido Room makes more of your home: more living space, more storage space, more individuality and more functionality. Slido Room structures rooms and divides them up. It separates areas from each other without having to separate them permanently, creates quiet zones and ensures order. With sophisticated technology and a wide range of design and application options, every room becomes an all-rounder.





www.hafele.com.de/slido-room



LINE Linear.

Slido R-Aluflex



SLIDO ROOM

SLIDO R-ALUFLEX.

CREATING THE MORE.


Slido R-Aluflex offers the right solution for every application.
For walk-in wardrobes or storage space under stairs and in sloping ceilings or kneeling floors – this is where the system shows just how adaptable it is.

As a room divider, Slido R-Aluflex creates separate areas and ensures a better quality of life in newly created zones.
This makes rooms flexible yet retains their lightness and spaciousness.





Slido R-Aluflex 80A

- Flexible room design – separation or opening adapted to the required use
- Door weights up to 80 kg
- Gentle opening and closing thanks to soft and self closing mechanism
- Large selection of panel materials and accessories



www.hafele.com.de/slido-r-aluflex









Slido R-Aluflex 80A

> The dressing room and the bathroom can be integrated as storage space solutions and partitioned off as and when required, for example
> Door weights up to 80 kg



Slido R-Aluflex 80W

> Sliding door fitting for floor-to-ceiling wooden sliding doors
> Compatible with Slido R-Aluflex 80A
> Bottom running track for recessed installation or glue fixing
> Door weights up to 80 kg



SLIDO WALL.

MOOD IN MOTION.


Slido Wall combines technology and design in a different way than ever before. Lifts boundaries. And opens up new design freedom. There are no limits to appearance or functionality with our mobile partition wall system: be it glass or wood, sliding or folding, transparent or opaque, sound-insulating or non-insulated, manual or electronic. Thanks to intelligent connections, brackets and corner elements, the wall segments can always be effortlessly connected or separated, moved and stored.






www.hafele.com.de/slido-wall







PARK **Parking.**

Slido W-Park11

Slido W-Park31



FOLD **Folding.**

Slido W-Fold32

SLIDO WALL

SLIDO W-PARK11.

INTELLIGENT VARIABLE.


Slido W-Park11 combines functionality and appearance: flexible room partitioning with partition wall elements in different shapes, colours and materials. When the partition wall is opened, it can be discreetly moved out of sight – either as a package or linearly, in niches or completely invisible. Depending on the version, the parking variant is supported by a 1 or 2-point suspension and can be operated manually or semi-automatically. Slido W-Park11 provides additional soundproofing.






Slido W-Park11 110A

> Wooden sliding wall
> Wooden and glass versions can be combined
> Ceiling installation, optionally integrated
> With sound insulation (RwP 36–58 dB)
> Door weights up to 1,600 kg
> Installation height 1,500–15,000 mm
> With cladding of your choice




Slido W-Park11 100A

> Glass sliding wall
> Wooden and glass versions can be combined
> Ceiling installation, optionally integrated
> With sound insulation (RwP 44 or 46 dB)
> Door weights up to 350 kg
> Installation height 1,500–6,000 mm
> Double-glazed tempered safety glass 8 mm or laminated glass 10.7 mm, partially lacquered (RAL colour)



www.hafele.com.de/slido-w-park11









Slido W-Park11 90A

> Wooden sliding wall
> Ceiling installation, optionally integrated
> With sound insulation (RwP 37–48 dB)
> Door weights up to 350 kg
> Installation height 1,500–4,050 mm
> With cladding of your choice



Slido W-Park11 80A


> Wooden sliding wall
> Ceiling installation, optionally integrated
> With sound insulation (RwP 36–44 dB)
> Door weights up to 200 kg
> Installation height 1,500–3,050 mm
> With cladding of your choice



SLIDO W-PARK31.

FLEXIBLE WIDTH.

Slido W-Park31 allows you to customise the design of areas and rooms thanks to a wide range of versions and ease of use. If required, the elements can be hidden entirely using sophisticated technology. The parking variant is supported by a two-point suspension and can be operated manually. The wood and glass variants, Slido W-Park31 150S and Slido W-Park31 150R, can be combined with one another.








Slido W-Park31 150S

- Wooden sliding wall
- Wooden and glass versions can be combined
- Ceiling installation, optionally integrated
- Not sound absorbing
- Door weights up to 150 kg
- Installation height 1,500–3,500 mm



Slido W-Park31 150R

- Glass sliding wall
- Wooden and glass versions can be combined
- Ceiling installation, optionally integrated
- Not sound absorbing
- Door weights up to 150 kg
- Installation height 1,500–3,500 mm




www.hafele.com.de/slido-w-park31

SLIDO W-FOLD32.

FOLD TO SAVE SPACE.

With Slido W-Fold32, rooms can be easily subdivided or partitioned and the elements folded together at the side, which saves space. Be it with wooden or glass elements or as a folding wall, with or without a passage door – Slido W-Fold32 creates new zones with ease.









Slido W-Fold32 100T

- Wooden sliding folding wall
- Corner and centre suspension
- Integrated ceiling installation possible
- Can be installed with and without bottom guide
- Door weights up to 100 kg
- Door height of up to 3,500 mm
- Door width: 500–1,000 mm
- Door thickness: 35–60 mm



Slido W-Fold32 100G

- Sliding folding wall made from glass
- Corner and centre suspension
- Integrated ceiling installation possible
- For mounting with or without floor guide
- Door weights up to 100 kg
- Door height of up to 3,000 mm
- Door width: 500–1,000 mm
- Glass thickness 10-10.7 mm and 12-12.7 mm (tempered safety glass and laminated glass can be used)



www.hafele.com.de/slido-w-fold32

WHY SLIDING SOLUTIONS FROM HÄFELE?

IDEAS IN MOTION. THE ADDED VALUE FOR YOU.

Functionality, quality, look, feel and ease of processing and installation are key issues when planning the installation of sliding doors. Häfele offers a wide range of products and expert advice on the best solution for your project. So choose Häfele as your partner for planning and implementing a wide range of sliding door solutions – from the furniture to the door itself, to the walls and the space you are working with. We have a globally unique logistics system and regional specialist advisors on the ground.



OUR CORE COMPETENCIES

> **Product variety.** Furniture, doors, rooms and walls. Range and depth of product mix. Everything from a single source.

> **Consultancy expertise.** Which sliding door system is the optimal solution, where, and in what form?

> **Planning support.** Experts in sliding door systems will provide support with product selection and specification. SLIDO WALL SERVICE Project support from the initial idea and planning right through to the finished solution in operation.

> **Logistics.** Worldwide availability, delivery capability, packaging and order picking.

> **After-sales service.** SLIDO WALL maintenance offers and on-site assignments.

HÄFELE

Maximising
the value of space.
Together.



Maximising the value of space. Together.

HÄFELE

732.01.441-12/23-3-SYS

www.hafele.com