HÄFELE



KITCHEN FITTINGS

The A to Z of perfect planning



With this catalogue Häfele, assists you with the planning of your kitchen. It is designed to provide you with inspiration as well as an overview of the important considerations to be taken in to account while planning a kitchen.



Introduction

Dear Readers,

I am very proud to be able to present you with the very first edition of our highly popular Modern Kitchen Selector Catalogue specially put together for your market. You will find a lot of new and exciting products and solutions in this catalogue - which are carefully put together considering the specific needs of the Bangladesh market. These are well-designed, attractive, hard wearing and reliable products which will make your kitchen look good and which will perform their function well for many years to come - we guarantee it!

This Catalogue can be used as a tool for understanding the different solutions that Häfele provides to the growing demand for modern, multi-functional and trendy kitchen fittings for the urban population in Bangladesh. A kitchen is the soul of a home, where the family meets and socializes. A well planned, organized and easy to operate kitchen spreads positive vibes as well as enhances the overall atmosphere of the place. Häfele has always been the pioneer in providing you solutions that help you in having the most convenient, accessible and aesthetic looking kitchen. Our motto has always been “style with functionality” and to reiterate the point we have added some very practical solutions to our already colossal collection of hardware and furniture fittings.

Häfele is totally dedicated in its endeavour to bring to the modern consumer the best that is available in the world market, with a strong value proposition. This has paid off in the form of large growth that we have seen in the last couple of years, and makes us strive for more innovations to suit diverse needs and simplify myriad complexities to furnish the growing appetite of our esteemed customers. We have added latest world-class products like midway systems, aluminium profiles for cabinet shutters, new attractive drawer mats and cutlery inserts; providing you with wider choices to meet your individual preference.

Continuous improvement is about now and about the future. Quality is a moving target. We believe the content of this Catalogue is as much about the future as it is about the present. Everything in here affects you in some way, because everything we do is aimed at meeting your needs, facilitating your functioning, achieving that sophisticated style. What is good enough today will certainly not be good enough tomorrow and we are working non-stop to bring to you the solutions that would cater to all your needs and make the kitchen your leisure-zone rather than the work/sweat zone that it used to be. We hope that you enjoy the glimpse of our range that is available with us ex-stock, and eagerly await your comments and recommendations regarding them. Please tell us what you think about it!



Jürgen Wolf
Managing Director
(Häfele South Asia)

Hafele

Reassuring Expertise



“For over 9 decades, we’ve been helping people make more of their homes.

Established in Germany, and now operating worldwide, we specialise in the fittings, hardware and systems that improve the way your home, works. So when you choose our products as part of your new or reformed home, you know you’re getting the benefit of extensive knowledge and decades of experience.

And we’re still a family business, owned and managed by family members who really care about the products and services we provide. You can rely on our commitment to the highest standards of quality and reliability, founded on a long tradition of German engineering where attention to detail is second nature.

All our home improvement ideas are built to last – day in, day out – we want you to get the very best from every corner of your home, for many years to come.”

Hafele Worldwide



With its origin in 1923 in a small town named ‘Nagold’ from the Swabian region of Germany that nurses a passion for hardware technology, it is no surprise that Hafele has lived up to its roots through a successful presence in the architectural and furniture hardware industry for over 94 years now. Today, Hafele’s worldwide penetration includes 38 subsidiaries across Europe, America, Asia, Australia and New Zealand. With these subsidiaries and numerous other sales organisations, Hafele operates in over 150 countries. The Hafele headquarters, 5 manufacturing units and 10 sales offices are located within Germany. The company also owns one of the largest and most sophisticated warehouses in its home country. The Hafele worldwide workforce is empowered by a base of over 7300 employees.

The group services over 150,000 customers across the globe through its extensive range of hardware products and a comprehensive logistics system. In addition to this, Hafele also provides consultative services to its customers, educating and advising them about buying the correct hardware as per their requirements. With this level of market penetration and ability to handle worldwide demand, it comes as no surprise that the company is an authority in the segment of home interior solutions; what is pleasantly surprising, though, is that in spite of its size, Hafele still remains a family owned and run business with a unique, friendly and value-centric work culture which is strongly followed among all its subsidiaries.



CONTENTS

Drawers

PAGE 10-28

Corner Units

PAGE 29-34

Drawer Organisers

PAGE 35-38

Tall Units

PAGE 39-43

Roller Shutters

PAGE 44

Lift -up Systems

PAGE 45-53

Hinges

PAGE 54-57

Aluminium Profiles

PAGE 58-59

Kitchen Handles

PAGE 60-65

Waste Bins

PAGE 66-69

Kitchen Accessories


PAGE 70-78

WHICH KITCHEN ZONES SHOULD YOU PLAN?


Kitchen Layouts

DYNAMIC SPACE®
by Blum


U Kitchen




Island Kitchen



G Kitchen





CONSUMABLES

NON CONSUMABLES

CLEANING

CONSUMABLES

This kitchen zone contains typical consumer goods such as canned goods, rice and pasta as well as refrigerated and frozen foodstuffs. In simple terms most grocery shopping is stored in this zone.


NON-CONSUMABLES

This kitchen zone is used to store items such as dishes, glasses and cutlery. It is also an ideal location for "odd and ends" storage (i.e. stationery, pens, household paperwork, etc)


CLEANING

This zone contains space for waste collection and storage as well as household cleaners and cleaning utensils. It is also the location of the sink and the dishwasher.

Galley Kitchen



L Kitchen



Straight Kitchen





There have been studies regarding the kitchen work flows & their optimisation. Its based on the five zones. These five zones are the most important aspects that go into planning a kitchen.

The online zone planner quickly and easily determines your storage space requirements & helps you plan your kitchen zones.


Go to **www.dynamicspace.com** & find out for yourself.

PREPARING
This zone is the main work area in the kitchen. Most kitchen preparation work takes place here. Items such as; kitchen utensils, knives, small electrical appliances, chopping boards, spices and mixing bowls are all located in the preparation zone.

COOKING
This kitchen zone includes the hob, oven,steamer, microwave, extractor hood, pots, pans, cooking utensils and baking trays.

Drawers

Base Cabinet Pull Out For Spice, Oil Bottles, Towels, Detergents & Baking Tray



- Base cabinet pull-out with closed metal floor for cabinet width of 150 mm
- Tool-free assembly on to the runner
- Equipped with 2 fixed trays for storing spice bottles & oil bottles
- 3D front adjustment
- Pull out with soft closing
- The specially developed RAL 9006 (Silver Grey) finish is anti corrosive & avoids the metal parts from rusting under harsh conditions




1 Spice & Oil Bottle Pull-out



2 Towel & Detergent Pull-out



3 Baking Tray Pull-out



4 Bottle Divider for Pull-out (Optional)

ORDERING INFORMATION

	Details	Cabinet width	Article No.
1	Spice & Oil pull-out storage with two storage racks, RAL9006	150 mm	**545.12.961**
2	Pull-out storage with shelf and towel holder, RAL9006	150 mm	**545.12.911**
3	Pull-out storage with baking tray, RAL9006	150 mm	**545.12.841**

CleaningAGENT Pull-out

- Material: Steel/plastic
- Finish: Silver powder coated/white
- Version: Bottom base mounted, single extension with soft closing mechanism
- Load capacity: 12 kg
- Internal carcase width: Min. 289 mm
- Inside carcase depth: Min. 480 mm
- Inside carcase height: Min. 480 mm



ORDERING INFORMATION

	Details	Cabinet width	Article No.
1	Dimension (W x D x H) mm: 255 x 465 x 465	150 mm	**545.48.911**

Packing: 1 set

Cooking Agent Pull-Out

- Material: Steel/plastic
- Finish: Silver powder coated/white
- Version: Bottom base mounted, full extension with soft closing mechanism
- Load capacity: 16 kg
- Internal carcase width: Min. 268 mm
- Inside carcase depth: Min. 510 mm
- Inside carcase height: Min. 625 mm

Supplied with
Set components complete with knife block, clip-on basket, chopstick holder, implement holder, bottle basket, plastic bins and full extension runners with integreated soft closing mechanism.



ORDERING INFORMATION

	Details	Cabinet width	Article No.
1	Dimension (W x D x H) mm: 250 x 510 x 620	150 mm	**545.13.951**

Packing: 1 set

Side pull-out DSA with Artline





ARTLINE basket

The DSA side pull-out with Premea Artline:
Häfele introduces its popular side mounted storage with additional front stabilization and an adjustment device for wide fronts, including a functional element for a large variety of different set-ups. Integrated damping ensures quiet opening and shutting. Available in Premea Silver Grey (RAL 9006) & Artline Chrome finish to enhance its aesthetic appeal.


Features:
- Basket variants for angles of 90° and cabinets widths of 150 & 300 mm.
- Installation height 645 mm.
- The frames can be used either on the right or on the left hand side.
- Premea Silver Grey, Artline Chrome.
- Total load capacity 20 kg.
- 3D front adjustment.

ORDERING INFORMATION

	Details	Article No.
1	DSA W 300 mm artline- chrome basket	**DSA.AL.300**

Vegetable Basket (Silver Grey)

- The Vegetable Storage Basket, with a front pull-out, is suitable for cabinet widths of 450 mm and 600 mm.
- With a Silver Grey finish, these baskets are mounted on Blum's Full Extension TANDEM Runners of a nominal length of 500 mm.
- You have the option of choosing between a front pull-out basket or inner basket pull-out or a combination of both.
- The RAL 9006 (Silver Grey) specially developed finish is anti- corrosive and prevents the metal parts from rusting under harsh conditions.
- A Ventilation grill has to be provided on the front of the drawer for free air circulation in the cabinet where vegetables are stored.







1. Vegetable Basket Front Pull-out



2. Vegetable Basket Inner Front Pull-out




3.Ventilation Grills



Note: Kit inclusive of Runners and Front Bracket



4. Vegetable Basket Inner Front Pull-out




ORDERING INFORMATION

	Details	Article No.
1	Vegetable basket front pull-out for cabinet width 450 mm	**TDM.VB.501**
2	Vegetable basket inner front pull-out for cabinet width 450 mm	**TDM.VB.502**

Packing: 1 set

Blum TANDEMBOX plus drawer systems



BLUMOTION
inside

- Unsurpassed running action using the TANDEM runner principle
- Silent and effortless closing thanks to BLUMOTION
- Full extension for a good view and direct access
- Excellent durability
- Simple assembly, easy setup
- Drawers can be made for cabinet width 300 mm - 1200 mm

Load capacity 30 kgs

TANDEMBOX



1 Standard Drawer M Height (96.5 mm)

ORDERING INFORMATION

	Product Description	White	Stainless Steel
1	TANDEMBOX 500 mm, (20”): Standard Drawer M Height - 30 kgs	**265.59.56E**	**266.34.60E**
2	TANDEMBOX 500 mm, (20”): High Fronted Drawer B Height - 30 kgs	**266.26.56E**	**266.41.90Z**

Blum TANDEMBOX plus bottle pull-out

High fronted pull-out is especially well-suited for storing bottles of every size. Adjustable cross dividers ensure bottles are held securely in place and provide easy access to oils, vinegar, marinades and dressings. The stainless steel drip tray is very easy to clean.

- TANDEMBOX in nominal length 500 mm
- Integrated BLUMOTION for soft closing
- Full Extension
- Drawers can be made only for cabinet width 300 mm

Load capacity 30 kgs



BLUMOTION inside



1 Bottle pull-out cabinet Width 300 mm

ORDERING INFORMATION

	Product Description	White
1	Bottle pull-out for cabinet width 300 mm, N.L = 500 mm - 30 kgs	**TBX.DP.101**

Blum TANDEMBOX plus pull-outs for bottles & cutting boards



BLUMOTION
inside

High fronted pull-outs can now also be adapted to store cutting boards along with bottles. This highly practical solution makes it easy to find the right cutting board and saves unnecessary bending and stretching. If the contents of one of the bottles should leak then it gets collected on the stainless steel drip tray of the ORGA-LINE set which can be easily removed and cleaned.

- TANDEMBOX in nominal length 500 mm
- Integrated BLUMOTION for soft closing
- Full Extension
- Drawers can be made only for cabinet width 450 mm

Load capacity 30 kgs



1 Bottle pull-out cabinet Width 450 mm

ORDERING INFORMATION

	Product Description	White
1	Bottle pull-out for cabinet width 450 mm, N.L = 500 mm - 30 kgs	TBX.DP.102

Blum TANDEMBOX plus drawer for provisions

Opened packets of provisions such as flour, sugar & rice can be stored under the main work area. High cross and lateral dividers ensure that goods are held securely yet are easy to view and access. So when you need it, the right ingredient is close at hand.

- TANDEMBOX in nominal length 500 mm
- Integrated BLUMOTION for soft closing
- Full Extension
- Drawers can be made for cabinet width 450 mm, 600 mm, 900 mm & 1200 mm

Load capacity 30/65 kgs



BLUMOTION inside



1 Cabinet Width 600 mm



2 Cabinet Width 900 mm

ORDERING INFORMATION

	Product Description	White	Stainless Steel
1	Provision pull-out for cabinet width 600 mm, N.L= 500 mm - 30 kgs	TBX.DP.108	TBX.DP.30801
2	Provision pull-out for cabinet width 900 mm, N.L= 500 mm - 65 kgs	TBX.DP.109	TBX.DP.309

Blum TANDEMBOX plus drawer sink unit




BLUMOTION
inside

Cleaning utensils should ideally be stored in the pull-out directly under the sink. The space to the right and left of the sink bowl is fully exploited. Dish soap, sponge and brush are always readily available to hand. No more lengthy searching with wet hands.

- TANDEMBOX in nominal length 500 mm
- Integrated BLUMOTION for soft closing
- Full Extension
- Drawers can be made for cabinet width 900 mm - 1200 mm

Load capacity 30 & 65 kgs



1 Cabinet width 900 mm

ORDERING INFORMATION

	Product Description	Stainless Steel
1	TANDEMBOX plus under sink unit - 30 kgs	**TBX.SU.301**

Blum TANDEMBOX plus sink unit base pull-out

The sink base unit contains the most frequently used kitchen pull-out because this is where the waste bins/recycling containers are located. For this reason, easy accessibility and secure storage as well as cleanliness are very important.

Cleaning materials are stored hygienically in the ORGA-LINE bottle holder.

- TANDEMBOX in nominal length 500 mm
- Integrated BLUMOTION for soft closing
- Drawers can be made for cabinet width 900 mm - 1200 mm



Load capacity 30 & 65 kgs

BLUMOTION inside



1 Cabinet width 1000 mm

Note: Please order Article No. B43.20.680 - Stabiliser quantity 1 nos. separately for 1200 mm cabinet width.

ORDERING INFORMATION

	Product Description	White	Stainless Steel
1	TANDEMBOX plus under sink unit base pull out - 30 kgs	**TBX.SU.DW3**	**TBX.SU.DS3**

Blum TANDEMBOX intivo



Now you can also make the interior of your furniture unique with TANDEMBOX intivo. Choose from drawer sides in silk white or stainless steel; incorporate other materials including stainless steel, glass and wood.

Select a design element from any desired material by using the BOXCOVER fixing and reveal endless design opportunities. ORGA-LINE, the inner dividing system, is also available in TANDEMBOX intivo customised versions.



1 a b TANDEMBOX intivo M height Standard drawer & inner drawer



2 a TANDEMBOX intivo for under sink units

ORDERING INFORMATION

	Product Description	Silk White	Stainless Steel
1a	TANDEMBOX intivo NL500 Standard M height drawer capacity 30 kg	**SWS.30.500**	**SSS.30.500**
1b	TANDEMBOX intivo 500NL high fronted pull-out D height capacity 30 kg with BOXCOVER (for design elements)	**SWI.30.501**	**SSI.30.501**
2a	TANDEMBOX intivo 500NL high fronted pull-out D height SINK pull-out capacity 30 kg with BOXCOVER (for design elements)	**SSW.30.500**	**SSS.30.50I**

Blum TANDEMBOX antaro

- Characterised by a rectangular gallery
- ORGA-LINE components are coordinated with the respective drawer side colour
- Installation height for high fronted pull-out: D (224 mm)
- Suitable drawers: Heights M (83 mm)
- Equipped with BLUMOTION (integrated), SERVO-DRIVE (optional)
- Widths of 275 mm to 1,200 mm
- All nylon parts are coordinated with the drawer side colour TANDEMBOX antaro is available in silk white, stainless steel & grey



BLUMOTION inside

SERVO-DRIVE inside



1 TANDEMBOX antaro M height Standard drawer & inner drawer



2 TANDEMBOX antaro D height high fronted inner pull-out


ORDERING INFORMATION

	Product Description	Silk White	Stainless Steel
1	TANDEMBOX antaro NL500 M height Inner drawer capacity 30 kg	**SWA.50.M30**	
2	TANDEMBOX antaro NL500 high fronted for D height inner pull-out capacity 30 kg	**SWA.50.I30**	
3	TANDEMBOX antaro M height Standard drawer & inner drawer		**SWI.30.500**

Blum LEGRABOX free



- LEGRABOX free combines elegance and functionality to deliver a top notch drawer system.
- This drawer system is available in 4 colours
- The inner drawer design can be changed based on customer specification
- 4 dimensional adjustment is possible
- Drawer Height = C



1 C Height

ORDERING INFORMATION

	Product Description	Silk White Matt	Terra Black Matt	Anti-fingerprint Stainless Steel
1	LEGRABOX free NL= 500 Standard C Height, Drawer capacity= 40 kg	**LEF.SD.50CW4**	**LEF.SD.50CB4**	**LEF.SD.50CS4**

Blum LEGRABOX pure



1 M Height



2a C Height



3a F Height



4 M Height without design element



6 C Height with gallery

ORDERING INFORMATION

	Product Description	Silk White Matt	Terra Black Matt	Anti-fingerprint Stainless Steel
1	LEGRABOX pure NL= 500 Standard M Height, Drawer capacity= 40 kg	LEG.SD.50MW4	LEG.SD.50MB4	LEG.SD.50MS4
2a	LEGRABOX pure NL= 500 Standard C Height, Drawer capacity= 40 kg	LEG.SD.50CW4		LEG.SD.50CS4
3a	LEGRABOX pure NL= 500 Standard F Height, Drawer capacity= 40 kg		LEG.SD.50FB4	
4	LEGRABOX pure NL= 500 Inner Drawer Standard M Height without design element, Drawer capacity= 40 kg			LEG.IG.50MS4
6	LEGRABOX pure NL= 500Inner Drawer Standard C Height with gallery, Drawer capacity= 40 kg			LEG.IG.50CS4


Blum ORGA-LINE for TANDEMBOX intivo




- ORGA-LINE is the flexible inner dividing system for the TANDEMBOX series
- Dividing wall for separating waste bin pull-out and cleaning agents
- For TANDEMBOX intivo high fronted pull-out with design element, height D
- Easy assembly and 3-dimensional front adjustment








1 ORGA-LINE Longside divider for TANDEMBOX intivo



2 ORGA-LINE Adapter profile for cross divider for TANDEMBOX intivo




3 ORGA-LINE Cross divider connector TANDEMBOX intivo

ORDERING INFORMATION


	Product Description	Article Nos.
1	Z43L100S TANDEMBOX ORGA-LINE Silk White longside divider for high fronted pull-outs, Nominal Length: 100 mm,Height: 116 mm,Thickness: 8 mm	**B79.52.582**
2	Z40L0002 TANDEMBOX intivo ORGA-LINE Symmetrical Silk White cross divider connector for high fronted pull-outs,Height: 114.6 mm,Width: 37 mm,Length: 38 mm	**B81.13.852**
3	Z49L472S TANDEMBOX intivo ORGA-LINE Silk White adapter profile for cross divider, Nominal Length: 500 mm	**B79.78.492**

Blum SERVO DRIVE for drawers


Drawers and high fronted pull-outs open automatically using an electrical drive with just a light touch on a handle-less front or a light pull of the handle. This creates more freedom of motion as well as high opening comfort for any living area.
SERVO-DRIVE can be used in combination with TANDEM and TANDEMBOX pull-out systems. In addition, BLUMOTION supports this solution with silent and effortless closing action providing high quality of motion in the kitchen.



16 SYNCHRONISATION CABLE



17 SERVO-DRIVE Trigger guidance



BLUMOTION inside

SERVO-DRIVE inside

ORDERING INFORMATION


	Product Description	Article No.
1	SERVO DRIVE set for two drawers with 2 triggers, 1 profile bracket, and 1 three meter wire, 8 distance bumpers	SER.DR.001
2	SERVO DRIVE set for three drawers with 3 triggers, 1 profile bracket, and 1 three meter wire,12 distance bumpers	SER.DR.002
3	993.0830.01 Blum cylindrical distance bumper, Ø 8 mm, Overall length : 12.1 mm	B74.02.930
4	Z10T1170A SERVO-DRIVE cut to size bracket profile vertical, length=1170 mm, Internal Cabinet Height =1180-1189 mm	B72.87.731
5	Z10D01E2.01 SERVO-DRIVE UPPER bracket adapter vertical profile, fixing method: EXPANDO	B76.47.700
6	Z10D01E1.01 SERVO-DRIVE LOWER bracket adapter vertical profile, fixing method: EXPANDO	B10.04.383
7	Z10D0311 SERVO-DRIVE attachment bracket for 1 drive unit with 800 mm cable	B48.05.174
8	Z10A3000.02 TANDEMBOX/TANDEM SERVO-DRIVE drive unit suitable for COMBOX, 24 Volt direct current	B11.95.106
9	Z10K600A SERVO-DRIVE 6 meter electrical cable, Colour: Black	B72.86.504
10	Z10K0008 SERVO-DRIVE cable end protector	B72.81.450
11	Z10V1000.01 SERVO-DRIVE tool-free connecting node, Colour: Black	B68.03.145
12	Z10NE020D SERVO-DRIVE 72 W transformer,1 phase,nominal voltage:100-240 Volt	B24.00.352
13	Z10M200H SERVO-DRIVE 2 meter flex,version: India, Colour: Black	B77.91.574
14	Z10NG000 SERVO-DRIVE base mounted power supply housing unit	B72.82.180
15	Z10NG120 SERVO-DRIVE Panel fixed power supply housing unit	B93.27.076
16	Z10K0009 SERVO-DRIVE cable holder	B72.83.231
17	Z10T0004 SERVO-DRIVE cover cap for bracket profile	B72.50.200
18	Z10K120S SERVO-DRIVE 1.2 meter White synchronisation cable, 24 Volt direct current	B72.88.546
19	Z10A3H00 TANDEMBOX SERVO-DRIVE trigger guidance for a chipboard back	B72.72.980

Drawer Runners


Single and full extension, load bearing capacity up to 30 kg



Installation



Drilling pattern



- Material: Steel
- Finish: Galvanized
- Version: With soft close mechanism, single or full extension
- Installation: At drawer, concealed mounted
- Side panel thickness: 13-16 mm
- Assembly and removal with snap-in coupling

Drawer Runners,Full extension,load bearing capacity up to 30 kg,
Side panel thickness: 13–16 mm

ORDERING INFORMATION

	Product Description	Article Nos.
1	Drawer L 300 mm SOFT CLOSE	**433.10.430**
2	Drawer L 350 mm	**433.10.435**
3	Drawer L 400 mm	**433.10.440**
4	Drawer L 450 mm	**433.10.445**
5	Drawer L 500 mm	**433.10.450**

Packing: 1 pair

Blum TANDEM concealed runners with integrated BLUMOTION for wooden drawers


- Brings perfect motion to wooden drawers and pull-outs
- Allows the rich finish of wood to be preserved in applications
- Program incorporates both single and full extension options
- Ensures smooth running action even with heavily-loaded drawers and pull-outs
- Easy to remove and clean due to its operational locking device



Load capacity 30/50 kgs



BLUMOTION inside



4 Optional front adjustment bracket (Used for 4-sided wooden drawers for both TIP-ON & BLUMOTION TANDEM runners)

Note: The front adjustment bracket has to be ordered separately.

ORDERING INFORMATION

	Product Description	Article No.
1	TANDEM **Single extension** Runners with Integrated BLUMOTION and locking device set. Nominal length: 500 mm - 30 kgs	**TDR.SE.500B3**
2	TANDEM **Full extension** Runners with Integrated BLUMOTION and locking device set. Nominal length: 500 mm - 30 kgs	**TDR.FE.500B3**
3	TANDEM **Full extension** Runners with Integrated BLUMOTION and locking device set. Nominal length: 500 mm - 50 kgs	**TDR.FE.500B5**
4	Front adjustment bracket	**B18.29.151**
5	Tandem Runner Full Extension without Blumotion compatible with TIP-ON and locking device set: Nominal Length 300mm – 30 Kgs	**TDR.FE.300T3**
6	Tandem Runner Full Extension without Blumotion compatible with TIP-ON and locking device set: Nominal Length 350mm – 30 Kgs	**TDR.FE.350T3**
7	Tandem Runner Full Extension without Blumotion compatible with TIP-ON and locking device set: Nominal Length 400mm – 30 Kgs	**TDR.FE.400T3**
8	Tandem Runner Full Extension without Blumotion compatible with TIP-ON and locking device set: Nominal Length 450mm – 30 Kgs	**TDR.FE.450T3**
9	Tandem Runner Full Extension without Blumotion compatible with TIP-ON and locking device set: Nominal Length 500mm – 30 Kgs	**TDR.FE.500T3**

Blum Narrow Cabinet Solutions



A practical solution for small storage spaces. Now even the smallest spaces in the kitchen can be used. With this solution for narrow cabinets, Blum creates additional storage space thanks to diagonally offset runners – without compromising on stability or quality of motion.

Diverse implementation options
The solution for narrow cabinets is compatible with TANDEMBOX intivo, antaro & plus programme lines. For a maximum cabinet width of 200 mm.
Blum's narrow cabinet solution can also be realised with TANDEM and MOVENTO runners.



1 TANDEMBOX intivo narrow cabinet solution



2 TANDEMBOX antaro narrow cabinet solution



3 TANDEMBOX plus narrow cabinet solution



4 LEGRABOX Narrow cabinet solution

ORDERING INFORMATION

	Product Description	Silk White	Stainless Steel
1	TANDEMBOX intivo narrow cabinet for cabinet widths 165 mm to 200 mm with a maximum load capacity of 20 kg, N.L= 500 mm	**INT.NC.SWT**	**INT.NC.SST**


Corner Units


Magic Corner (Universal)




Product features
- Load Capacity: Front Basket 5 kg each & Rear Basket 12.5 Kg each
- Damped self-closing

Specification:
- Carcass Size: 900 mm
- Finish:- Basket: Wooden Base with Chrome Finished railing Frame: Grey Powder Coated







ORDERING INFORMATION

	Details	Article No.
1	Universal magic corner with soft close, wooden base basket with chrome railing, frame with grey powder coated	546.14.220

Recorner Maxx




2 Recorner maxx Smart


Recorner maxx, the corner cabinet solution with a distinctly better use of storage space. Due to its unique construction of no central column, space availability in the tray is now increased to 20% more. This corner solution is perfect to store bulky utensils too. The shelves are suspended by a diagonal strut that runs through the cabinet. The mechanics being virtually invisible just enhances the aesthetics of your kitchen.




1 Recorner maxx Rail



Rail Basket



Smart Basket



a Recorner maxx 3/4

Recorner maxx, technical details:

- Corner cabinet with 3/4 wooden round shelves
- Available for cabinet sizes of 90 x 90 cm
- Height adjustment for the shelves are flexible and independent from the cabinet heights
- A raster allows changing the position of the wooden shelf retrospectively
- Vertical support can be fixed at different heights
- Applicable to base, tall and wall cabinets
- Retrofitting into a set up kitchen possible
- Load of 28 kg per shelf
- Available in Smart and Rail

ORDERING INFORMATION


	Product Description	Article No.
1a	Recorner maxx 3/4 (Rail-Silver)	**542.62.522**
2a	Recorner maxx 3/4 (Rail-Chrome)	**542.62.632**


Side Mounted Swift Corner 450 mm



Product features
- Trays to swing out completely with just 85° of door opening angle
- 25 kg load per tray
- Height-adjustable trays (Individual Tray Opening)
- Damped self-closing

Specification:
- Carcass Size: 900 mm
- Mounting: Side Mounted
- Opening: Finish: Chrome Plated





Basket with Solid Bottom

ORDERING INFORMATION

	Details	Article No.
1	Le Mans corner swing tray fitting for 450 mm door left hand side	**549.45.241**
2	Le Mans corner swing tray fitting for 450 mm door right hand side	**549.45.240**

Cornerstone



1 Cornerstone Smart Chrome

A CORNERSTONE carousel moves the entire contents in front of the unit, thereby unlocking completely new design perspectives. Each shelf can be attached at the required height, and the shelves disappear back inside the unit when the door is closed.

The corner is the new centre

CORNERSTONE brings the entire contents in front of the cabinet and introduces a whole new perspective. The storage units swing in front of the cabinet, providing perfect access without covering adjacent areas.

Perfect attention to detail

CORNERSTONE is simple and clever: the shapely storage units adapt to any mounting situation, whether on the left or on the right. With the new catch and door deflector, opening and closing the cupboard is child's play.

Minimal mounting

The CORNERSTONE corner cabinet solutions need only one fixing point on the mullion or standpipe. This means more storage space and incredibly easy to assemble.

Focus on design


The design of the CORNERSTONE corner cabinet solutions is straightforward and minimalist. The chosen materials meet the highest standards. Many different design variations offer maximum individuality.


Details

- Cabinet width: 900 mm
- Door width: 450 mm
- Installation depth: min. 485 mm
- Installation height: min. 520 mm
- Right and left hand version for the optimum use of storage space
- EasyFit method: no tools needed to attach the storage elements to the central tube
- No tools needed to adjust the shelf height
- The upper shelf closes automatically when shutting the door thanks to a castor wheel
- The lower shelf slides out automatically pulled-out and pushed-in via a carrier when opening the door
- System load carrying capacity: max. 20 kg per shelf



2 Cornerstone Rail Chrome





ORDERING INFORMATION

	Product Description	Article No.
1	Cornerstone Smart Chrome, Right Version	**542.03.146**
2	Cornerstone Smart Chrome, Left Version	**542.03.147**

Flex Corner Unit New

Maximum access in any corner cabinet makes the best use of storage space and keeps things organized and accessible.


Flex corner maximizes space in corner cabinets while allowing full accessibility to the entire unit. Right and left handed versions are identical. This non-handed corner unit is easily installed to the bottom of the cabinet. With the Flex corner all the space in corner cabinets is turned into functional, reliable and stylish storage space.


Details

- Cabinet width: 900 mm
- Door width: 450 mm
- Installation depth: 480 mm
- Installation height: min. 530 mm
- Individual height adjustment for baskets
- Installation template: no measuring necessary when installing into cabinet
- Integral soft-closing and self-closing on both pull-outs
- Maximum load: 8 kg per basket
- Maximum load-bearing: 32 kg
- Storage versions: Premea



1 Flex corner, Premea





Flex corner frame with basket set

ORDERING INFORMATION

		Cabinet Width (mm)	Article No.
1	Flex corner, unhanded, Premea, chrome	900	**FLX.PC.000**

Pro(Arc PowerSlide




The Functional Tray System


Timeless design, highest processing quality

The interior of a kitchen should not be left to chance. pro(arc, a classic among carousel trays, is characterized by timeless design and proven product quality. Combined with the newly developed PowerSlide fitting, for asymmetric kitchen corner cabinets, it forms a harmonic duo. Due to its ergonomic shape and easy access to the goods stored on it, this carousel tray becomes a sought-after element in every kitchen.

Pro(Arc half trays

- One-piece moulded, seamless, and easy to clean
- Textured interior surface guarantees stability for the stored items
- Invisible underside ribbing provides for a high torsional stiffness and solidity





Features

- Easy to install and remove for cleaning and maintenance of cabinet
- Closed sides ensure no spilling of content from tray to cabinet
- Trays made up of plastic have no effect of humidity
- The trays slide straight out like a drawer, ensuring that the access to adjacent cabinets is not affected
- Loading capacity up to 20 kgs per tray
- For interior cabinet depths from 490 mm
- Available for door width minimum 450 mm

ORDERING INFORMATION

	Description	Dimensions (WxDxH) mm	Finish	Article No.
1	Eco Pro(Arc powerslide right version	900x490x600	Aluminum Grey	**541.55.440**
2	Eco Pro(Arc powerslide left version	900x490x600	Aluminum Grey	**541.55.441**

Drawer Organisers


Cuisio Cutlery Tray

Cuisio cutlery tray is an elegant and high-value insert system for drawers. It has inspiring material mix of translucent plastic trays and Aluminium connecting profiles. Due to its sophisticated clip connection it flexibly adapts to different drawer widths. Each tray can be individually equipped with adjustable dividers providing individual freedom to organize the drawers to one's requirements.





1 Green Translucent Cuisio Cutlery Tray With Aluminium Profile



a Cabinet width 450 mm

b Cabinet width 600 mm

c Cabinet width 900 mm

ORDERING INFORMATION

	Product Description	Article No.
1a	Green Translucent Cusio Cutlery Tray for cabinet width 450 mm	**556.24.142**
1b	Green Translucent Cusio Cutlery Tray for cabinet width 600 mm	**556.24.012**
1c	Green Translucent Cusio Cutlery Tray for cabinet width 900 mm	**556.24.162**

Blum ORGA-LINE cutlery trays for drawers



High-quality ORGA-LINE sets by Blum with Stainless Steel compartments provide proper organization for your cutlery.

The individual cutlery containers can be laid out to suit your requirements and they are removable and easy to clean.

For cabinet width from 300 mm to 1200 mm.



1 Cabinet width 450 mm



2 Cabinet width 600 mm



3 Cabinet width 900 mm


ORDERING INFORMATION

	Product Description	Article No.
1	Stainless Steel cutlery trays for cabinet width 450 mm	**B37.77.170**
2	Stainless Steel cutlery trays for cabinet width 600 mm	**B67.15.400**
3	Stainless Steel cutlery trays for cabinet width 900 mm	**CUT.00.101**

Ergotop Cutlery Tray

Ergotop presents itself as an aid in promoting tidiness and well organised storage, not only combining functionality and modern design but above all following ergonomic principles.
It represents the optimisation of each drawer space and the indispensible means to better organise storage in the kitchen.
Made in Germany
Made for cabinet width from 450 mm to 900 mm.





1 Cabinet Width 450 mm

2 Cabinet Width 600 mm

3 Cabinet Width 900 mm

ORDERING INFORMATION

	Product Description	Dimensions (HxWxD) mm	Article No.
1	Ergotop Cutlery Tray for cabinet width 450 mm	50x390x490	**556.77.603**
2	Ergotop Cutlery Tray for cabinet width 600 mm	50x540x490	**556.77.606**
3	Ergotop Cutlery Tray for cabinet width 900 mm	50x840x490	**556.77.608**

Scoop II's Cutlery Tray



- Scoop II's flexible slot-in divider system allows you to arrange the compartments according to your own personal requirements in no time at all.
- You can expand the basic models of the cutlery insert by adding to them from our extensive range of accessories.
- The variable tray inserts not only bring colour into play - here even bits and pieces find their own special place.
- The edge profile (stainless steel finish) protects you from the sharp and rough edge of the cutlery tray and gives a neat and clean look to the entire unit.

The USP of this tray is the adjustable inner divider or tray, which helps to customize the content as per your requirements.

Note: Kitted with Variable tray and Divider set.




1 Cutlery inserts for 600 mm

ORDERING INFORMATION

	Product Description	Finish	Article No.
1	Cutlery inserts for 600 mm, Wide drawer system depth 450-490mm, width 500-540 mm	Silver high gloss	**556.89.604**

Tall Units

Blum TANDEMBOX Tall Unit





Note: Can be customised to different cabinet widths from 450 mm to 1200 mm.
The below ordering information contains a set of 1 Standard inner drawer and 4 high - fronted inner drawers with Hinges and BLUMOTION for the Tall Unit.

The wide pantry unit is equipped with 1 standard inner drawer, 4 high fronted inner drawers and fixed shelves at the top.

- Enough space and plenty of stability, even for large and bulky items.
- Easy access from all sides.
- ORGA-LINE inner dividing systems for pull-outs puts everything in order and allows easy access.
- Up to 55% more storage space through the use of the higher back and side walls.
- BLUMOTION for silent and effortless closing of the doors is a part of the set.

ORDERING INFORMATION

	Product Description	Article No.
1	TANDEMBOX Plus white tall unit with 1 m-height 30 kg inner drawer and 4 D-height 65 kg inner drawers of nominal length 500 mm for cabinet widths 450 -1200 mm	**TBX.TU.101**

VSA Pantry Pull-Out




VSA Pantry Pull-Out

The VSA pull-out storage unit sets new standards in comfort and design. Its efficient opening mechanism allows the storage baskets to automatically slide out once the cabinet door is opened; providing for maximum storage space along with easy access.

- Comes with an integrated damping system that ensures soft and silent closing
- Comes with an advanced opening mechanism that automatically slides out the baskets on opening the cabinet, making way for optimum reach.
- 3-Dimensional front adjustment facility allows for perfect symmetry and the convenience of adding or removing the baskets from the cabinet frame as per your storage needs.

Details:

- Carcase Widths: 450 & 600 mm
- Carcase Thickness: 16 to 19 mm
- Minimum Installation Depth: 480 mm
- Installation Height: 1900 to 2140 mm
- Easy Fit: Free installation of frame onto the lower runners
- Easy Fit: Tool free attachment of carriers to mounting frame
- Individual height adjustment for baskets
- Load capacity: 15 kg per basket
- Available in Premea Silver Grey, Premea Chrome & Premea Artline Chrome
- Number of Baskets: 5



1&2 **ARTLINE** basket



3&4 **Premea** basket

ORDERING INFORMATION

	Details	Cabinet width (mm)	Article No.
1	VSA frame 6 (1,900 - 2,140 mm), Premea, Chrome	450	**VS6.PC.450**

Note: Set includes baskets. Frame 3: 4 baskets Frame 6: 5 baskets

Pantry Pull-Out DUSA

Tall Unit DUSA is an ergonomically designed basket pull out for the kitchen. The baskets swing out when the cabinet is being opened; this enables easy access to its content and optimum use of storage space.

- The new improved DUSA is integrated with a damping system, ensuring soft and silent closing.
- The new frame structure is adapted to fit the width of the cabinet to provide optimum storage.
- The heights of the front baskets has been increased (as compared to the locally available variants) for secure storage of food items.
- The new improved DUSA comes with the integrated basket fastening support system for better stability.
- Tall Unit DUSA can be installed easily. It copes effortlessly with heavy loads as the sturdy rollers can handle overall loads of up to 100 kgs.

Further new improved -

- Available basket variants: Premea Silver Grey, Premea Chrome and Premea Artline Chrome

Note: Also available in Artline



1 Pantry pull out DUSA Artline



1 Pantry pull out DUSA

Overall load capacity - 80 + 20 kg

ORDERING INFORMATION

	Details	Cabinet width (mm)	Article No.
1	DUSA frame 6 (1,900 - 2,150 mm), Premea Artline, Clear Glass	450	**DS6.AL.450 / 547.29.965**
2	DUSA frame 6 (1,900 - 2,150 mm), Premea Artline, Cear Glass	600	**DS6.AL.600**

Note: Set includes baskets. Frame 6: 5 baskets

Pantry Pull-Out HSA



Every item in your pull-out pantry is easily accessible with full view thanks to a modern European design.


- Stabilizing of the front by front strips and 3D front adjustments.
- Height-adjustable basket assembly, using functional clip for firm grip and low-noise.
- Bottom runner with 120 kg load capacity.
- Full pull-out with damping.
- The specially developed silver grey finish is anti corrosive and prevents the metal parts from rusting under harsh conditions.

New improvements -

- Available basket variants: Premea Silver Grey, Premea Chrome and Premea Artline Chrome
- Improved operation due to new roller bearing, automatic closing and enhanced profile geometry
- Easyfit: Click system for assembling the frame on the lower and upper rails. Synchronic end caps up and down guarantee stability.



1 Pantry pull out HSA (Artline)



3 Set of Power Move for HSA & HSA Rotary

HSA POWER MOVE

Electric motor support for super easy opening: HSA power move

A typical situation in kitchens every day: No free hand to open the cabinet? That is no problem anymore because a gentle pushing at the front triggers the opening process. Silently and smoothly the door opens also because of an integrated pull-out damping. Frame and fronts are made of the same high quality double powder-coated surface by a high-grade appearance.

Details

- Easy installation with the existing HSA and HSA rotary
- Intelligent load control for load independent opening
- Opening and closing is triggered by gently pulling or pushing

ORDERING INFORMATION

	Details	Cabinet width (mm)	Article No.
1	HSA frame 6 (1,900 - 2,140 mm) Premea Artline, Clear Glass	400	**HS6.AL.400**

Note: Set includes baskets. Frame 6: 5 baskets

Swing out Chef's Pantry Unit

Chef Pantry Pull-Out System

The kitchen is probably the most used room in the house. It is where the day starts and ends and is generally a hive of activity when the family is at home. It is therefore very important that this room is well organized and the use of space is carefully planned. Häfele's Chef Pantry pull out unit is one product that can be used to organize your space to the maximum. It has adjustable height facility and soft close mechanism which ensure a noiseless closing experience.





Features:
- Material: Steel
- Finish: Basket bright chrome plated
- Load Capacity: 104/82 kg (8kg rear cabinet basket, 3kg front cabinet basket, 2kg door basket)
- Frames are powder quoted for longer life
- Version: Soft Closing
- For Cabinet Width: 900mm Thickness: 16 - 19mm
- Min. internal cabinet depth.: 500mm

Chrome basket, Inner
Basket for inner frame
- Width x Depth x Height: 356 x 115 x 80 mm
- Chrome-plated steel wire

Chrome basket, Swivel frame
Basket for swivel frame
- Width x Depth x Height: 356 x 115 x 80 mm
- Chrome-plated steel wire

Chrome basket, Door
- Basket for door mounted hanging rails
- Width x Depth x Height: 356 x 102 x 80mm
- Chrome-plated steel wire





When the swivel frame is opened inner extension frame is automatically moves forward.

Load capacity:
546.97.203 - 156 kgs
- Rear Basket - 8 kg.
- Swing Basket - 3 kg
- Door Basket - 2 kg

ORDERING INFORMATION

	Product Description	Width	Height	Basket Quantity			Total Basket	Article No.
				Rear Basket	Swing Basket	Door Basket		
1	Swing out Chef's pantry unit	900 mm	1900-2200	12	12	12	36	**546.97.203**

Roller Shutters

Metallic Line & Easy Line Roller Shutter



Hafele brings to you the latest in modern kitchen designing - **Roller Shutter System** that's easy to install and a very convenient solution to store your kitchen appliances. These shutters are aesthetically more appealing because the gaps between the slats become smaller in closed state, making your kitchen look more attractive.


They provide optimum functionality with a high quality mechanism that ensures a smooth motion. This stylish system requires a flat bottom profile to be fitted in and is ready to be installed in the finished furniture cabinet, These are available in Glass & PVC shutter options.

Features:


- Easy to Install cassette
- Light weight supporting material covered with an aluminum foil on ABS plastic
- Metallic Line available in Aluminum Silver finish
- Easy Line available in Silver & Transluscent finish
- Available in width 600 & 900 mm with height 1350 mm

The set includes following parts

1 x Cassette
2 x Pelmet adapter
1 x Pelmet
2 x Vetical tracks (End cap pre-installed)
14 x Ø3 x 14 mm
6 x Ø4 x 20 mm
2 x Ø4 x 25 mm
1 x Installation Guide



Cassette


Pelmet adapter



Pelmet


Vetical tracks (End cap pre-installed)


Screw


Installation Guide

Cabinet dimensions



Measurement

For 600/900 mm cabinet the maximum height will be1350 mm.
The height required for cassette is minimum 236 mm.

ORDERING INFORMATION

	Product Description	Size (mm)	Silver	White
1	Easy Line Roller Shutter	(W) 600 x (H) 1350	**BOM.SI.600**	**BOM.60.WHT**

Lift-up Systems

Blum AVENTOS HF LIFT SYSTEM
for wooden and wide aluminium profile fronts

The AVENTOS HF bi-fold lift system is the ideal solution for high and mid wall units. Thanks to the two-part front, even high cabinets can be accommodated. With AVENTOS HF, there is no limit to the variety of planning and design options available. Whether your customers want wooden fronts, narrow or wide aluminium frames, combinations of different materials or even fronts of different heights, you will always be able to meet their individual requirements.

The bi-fold lift system opens easily, remains in any desired position and closes silently and effortlessly thanks to BLUMOTION.

AVENTOS HF is suitable for cabinet heights from 480 to 1040mm and cabinet widths up to 1800mm.

AVENTOS HF benefits:
- Numerous design options
- Soft opening and closing with BLUMOTION
- Variable and smooth stop
- Lift up with just one finger
- Easy assembly and removal
- Fast and precise adjustment
- SERVO-DRIVE for AVENTOS, the electrical motion support system for wall cabinets available



BLUMOTION by Blum

SERVO-DRIVE by Blum

ORDERING INFORMATION

Power Factor Range = Cabinet Height (mm) X Weight of the Shutter & Handle

Height Range (mm)	Power Factor Range	GREY		WHITE	
		SERVO-DRIVE	Non SERVO-DRIVE	SERVO-DRIVE	Non SERVO-DRIVE
560 - 710	2600 - 5500	**AHF.SD.WDG02**	**AHF.NS.WDG02**	**AHF.SD.WDW02**	**AHF.NS.WDW02**
700 - 900	5350 -10150				**AHF.NS.WDW03**

Blum AVENTOS HK-S



BLUMOTION	SERVO-DRIVE	TIP-ON
by Blum	by Blum	by Blum

AVENTOS HK-S is the perfect choice for small lift systems in tall cabinets, e.g. above refrigerators. Thanks to its neat and tidy dimensions, the fitting can be perfectly integrated into small pieces of furniture, making the best possible use of the storage space.

The variable stop also holds the small stay lift in any desired position.

AVENTOS HK-S is suitable for cabinet heights up to max. 400 mm.

AVENTOS HK-S benefits:

- Specifically for small stay lifts
- Silent and effortless closing, thanks to BLUMOTION
- Easy to open
- Stops at any opening position
- Provides excellent access to the cabinet interior
- Suitable for wall cabinets with cornice or crown moulding
- Small programme, huge application variety
- Easy assembly and adjustment
- Stability, even with wide fronts
- Excellent durability
- No protruding parts





Note : Sets for AVENTOS HK-S for wooden fronts now includes the CLIP-TOP straight steel mounting plate.

ORDERING INFORMATION

Power Factor Range = Cabinet Height (mm) X Weight of the Shutter & Handle

Height Range (mm)	Power Factor Range (kg)	Wood & Wide Aluminium Fronts
		WHITE
Max. 400	400 - 1000	**HKS.NS.WDW02**
	680 - 1250	**HKS.NS.WDW03**
	960 - 2040	**HKS.NS.WDW04**

Blum AVENTOS HK LIFT SYSTEM
for wooden fronts

This convenient lift system fitting for mid wall units requires only a small amount of space at the top. The AVENTOS HK stay lift is another product that provides inspiration thanks to its consistently high quality of motion. Handle-less fronts can be opened using SERVO-DRIVE or TIP-ON technology and without any need for hinges.

The stay lift opens easily, remains in any desired position and closes silently and effortlessly thanks to BLUMOTION. AVENTOS HK is suitable for cabinet heights up to 600mm and cabinet widths up to 1800mm.

AVENTOS HK benefits:

- Silent and effortless closing, thanks to BLUMOTION
- Easy to open
- Stops at any opening position
- Provides excellent access to the cabinet interior
- Suitable for wall cabinets with cornice or crown moulding
- Small programme, huge application variety
- Easy assembly and adjustment
- Stability, even with wide fronts
- Excellent durability
- No protruding parts
- SERVO-DRIVE for AVENTOS, the electrical motion support system for wall cabinets available



BLUMOTION by Blum

SERVO-DRIVE by Blum

TIP-ON by Blum

ORDERING INFORMATION

Power Factor Range = Cabinet Height (mm) X Weight of the Shutter & Handle

Height Range	Power Factor Range (kg)	GREY	WHITE	
		SERVO-DRIVE	Non - SERVO DRIVE	TIP-ON
205 - 600	1500 - 4900		AHK.NS.WDW03	AHK.TP.WDW03
	3200 - 9000	AHK.SD.WDG04	AHK.NS.WDW04	

Blum AVENTOS HK-S TIP-ON



When combined with Blum's TIPON mechanism, the AVENTOS HK-S system allows the possibility of handle- less cabinet fronts. The front can open with a light tap; providing enhanced experience and improved aesthetics

AVENTOS HK-S benefits:

- Specifically for small stay lifts
- Silent and effortless closing, thanks to BLUMOTION
- Easy to open
- Stops at any opening position
- Provides excellent access to the cabinet interior
- Suitable for wall cabinets with cornice or crown moulding
- Small programme, huge application variety
- Easy assembly and adjustment
- Stability, even with wide fronts
- Excellent durability
- No protruding parts



ORDERING INFORMATION

Power Factor Range = Cabinet Height (mm) X Weight of the Shutter & Handle

Height Range (mm)	Power Factor Range (kg)	Wood & Wide Aluminium Profile Fronts
		WHITE
Max. 400	960 - 2040	**HKS.TP.WDW04**

Blum AVENTOS HL LIFT SYSTEM

for wooden & wide aluminium profile fronts

This product is a brilliant combination of design and function. As its name suggests, the AVENTOS HL “lift up” lifts right up and out of the user’s way so that everything is always within easy reach. As a result, even special installations are possible. For example, you can integrate electrical appliances into tall cabinets.

AVENTOS HL is easy to open and can be stopped at any desired position. It closes silently and effortlessly thanks to BLUMOTION.

AVENTOS HL is suitable for cabinet heights from 300 to 600mm and cabinet widths up to 1800mm.

AVENTOS HL benefits:

- Silent and effortless closing, thanks to BLUMOTION
- Easy to open
- Stops at any opening position
- Provides excellent access to the cabinet interior
- Suitable for cabinets with cabinets above, as well as cornice and crown moulding
- Small programme, huge application variety
- Easy assembly and adjustment
- Stability, even with wide fronts
- Excellent durability
- No protruding parts
- SERVO-DRIVE for AVENTOS, the electrical motion support system for wall cabinets available
- The cross stabiliser can now be assembled tool free



BLUMOTION by Blum

SERVO-DRIVE by Blum





Note : AVENTOS HL with Grey & White cover caps

ORDERING INFORMATION

Power Factor Range = Cabinet Height (mm) X Weight of the Shutter & Handle

Height Range	Power Factor Range	GREY	WHITE
		SERVO-DRIVE	Non - SERVO DRIVE
300 - 349	3.5 - 7.25	AHL.SD.WDG02	AHL.NS.WDW02
450 - 580	4.25 -9.25	AHL.SD.WDG12	AHL.NS.WDW12

Blum AVENTOS HK-XS

for wooden & wide aluminium profile fronts



BLUMOTION	TIP-ON
by Blum	by Blum

AVENTOS HK-XS is the compact fitting for small stay lifts in high and wall cabinets. Thanks to the narrow style, AVENTOS HK-XS offers a high level of design freedom.

AVENTOS HK-XS proves itself with the familiar AVENTOS quality of motion.

Stay lifts open and close with seemingly weightless movement. They close silently and effortlessly in combination with CLIP top BLUMOTION hinges.

High quality of motion

The variable stop allows the lift system to remain in any desired position and always within easy reach.

Numerous possibilities

Whether thick wooden fronts with wide or narrow aluminium frames, the fixing positions always remain the same. This allows different materials and front thicknesses to be easily integrated.

Proven Blum quality

The lift mechanism with a robust spring package is the core element of the compact fitting. The AVENTOS HK-XS proves itself in this way with high stability and durability. High quality is ensured for the lifetime of the furniture.

Note : The TIP-ON drilling and adapter have to be purchased seperately. For details please refer to the price list.

ORDERING INFORMATION

Power Factor Range = Cabinet Height (mm) X Weight of the Shutter & Handle

Wooden Wide Aluminium Profile Fronts			
Height Range (mm)	Power Factor	CLIP top BLUMOTION 107°	CLIP 100°
240-600	800 - 1800	**HKX.NT.WDA03**	**HKX.NT.WDA06**

Blum SERVO DRIVE for AVENTOS

With the SERVO-DRIVE for AVENTOS electrical motion support system, the use of lift systems is turned into a special experience. SERVO-DRIVE for AVENTOS only has a few components. These are easy to attach and can be precisely adjusted. In just a few simple steps, SERVO-DRIVE can be assembled and put in to operation.



Benefits of SERVO-DRIVE AVENTOS:

- Easy opening with a light touch on the front.
- Easy closing by pressing a switch.
- Integrated collision protection.
- Intergated BLUMOTION provides silent and effort less closing action.
- Perfect manual performance even during power cuts.

SERVO DRIVE for AVENTOS - Individual Components
After the installation of the lift mechanism and making the necessary adjustment, the SERVO-DRIVE components are attached to the lift mechanism and cabinet.

1. Lift Mechanism

- SERVO-DRIVE-compatible lift mechanism with elongated hole for tool-free attachment to the drive unit

2. Drive unit

- For assembly to the left lift mechanism
- Tool-free clip-on
- The same drive unit for HF, HS and HL AVENTOS lift mechanisms
- Drive unit with adapter plate for AVENTOS HK lift mechanism
- Several practical setting options, e.g. synchronisation and collision avoidance
- One per cabinet

3. Cover cap

- For covering the lift mechanism and drive unit and cabling
- Extendable to an internal depth of 350 mm to cover the distribution cable

4. SERVO-DRIVE switch

- Attaches to both cabinet sides
- Wireless connection to the drive unit
- Frequency 2.4 Ghz
- Certified for use worldwide
- Two per cabinet

5. Distance bumper

- Existing SERVO-DRIVE bumpers ensure the required trigger path of 2 mm
- HF needs 6 bumpers per cabinet
- HL + HS need 4 bumpers per cabinet

6. Cabling

- With proven cabling components such as the SERVODRIVE distribution cable, connecting node, cable end protectors
- For easy, practically tool-free cabling

7. Transformer for power supply

- Proven SERVO-DRIVE transformer can be shared with others AVENTOS, TANDEM or TANDEMBOX, Servo Drive Cabinets

8. Transformer unit housing

- For secure fixing
- Enables necessary air circulation

9. Blum 3-pin flex

Special arm for HS + HL (Left)

Rods for HS + HL are shorter than normal

Note : For further information regarding article nos. please refer to the Blum pricelist.

ORDERING INFORMATION

Product Description	Article No.
Z10NE020D SERVO-DRIVE 72 W Transformer,1 phase,nominal voltage:100-240 Volt	**B24.00.352**
Z10NG120 SERVO-DRIVE Panel fixed power supply housing unit	**B93.27.076**
Z10K600A SERVO-DRIVE 6 Meter electrical cable, color:Black	**B72.86.504**
Z10K0008 SERVO-DRIVE cable end protector	**B72.81.450**
Z10K0009 SERVO-DRIVE cable holder	**B72.83.231**
Z10M200H SERVO-DRIVE 2 Meter flex, version: INDIA, color: Black	**B77.91.574**
Z10V1000.01 SERVO-DRIVE tool-free connecting node, color : Black	**B68.03.145**
993.0830.01 Blum cylindrical distance bumper, Ø 8 mm	**B74.02.930**

Gas Spring



For Wooden & Aluminum framed shutters

Opening Angle: Approx. 90°

Material: Steel

Mounting: For Left & Right hand use

In case of heavy panels, we recommend using a pair of gas pumps for better stability.

Max. panel height: 600 mm






Mounting Plate for wooden shutters



Mounting Plate for carcase




Mounting Plate for aluminum frame shutters

All mounting plates included in the packet

Sample measurement table

mm	373.82.001	373.82.002	373.82.003	373.82.004	373.82.005
	= 75°				
300	2,0 kg	2,7 kg	3,4 kg	4,1kg	4,7 kg
400	1,5 kg	2,0 kg	2,6 kg	3,1 kg	3,5 kg
500	1,2 kg	1,6 kg	2,0 kg	2,5 kg	2,9 kg
600	1,0 kg	1,4 kg	1,8 kg	2,0 kg	2,4 kg
	= 90°				
300	1,8 kg	2,4 kg	3,0 kg	3,6 kg	4,7 kg
400	1,3 kg	1,8 kg	2,2 kg	2,7 kg	3,2 kg
500	1,1 kg	1,4 kg	1,8 kg	2,1 kg	2,3 kg
600	0,9 kg	1,2 kg	1,5 kg	1,8 kg	2,1 kg
	= 110°				
300	1,6 kg	2,1 kg	2,6 kg	3,1 kg	3,5 kg
400	1,2 kg	1,6 kg	1,9 kg	2,3 kg	2,6 kg
500	0,9 kg	1,2 kg	1,6 kg	1,9 kg	2,2 kg
600	0,8 kg	1,0 kg	1,3 kg	1,6 kg	1,9 kg



Mounting dimensions when using hinges for full overlay mounting

Opening Angle	Dimensions (mm)		
	A	B	C
75°	260	80	25
90°	238	80	25
110°	215	70	25

ORDERING INFORMATION

	Power of Gas Spring	Article No.
1	100N equivalent to 10 kg	**373.82.003**
2	150N equivalent to 15 kg	**373.82.005**

Lid Stays - Duo

Features

- Opening angle: 75°, 90° or 110° (with different opening angles of hinges)
- Mounting: For left and right hand use
- The Flap locks in any position and it stops in end position when released by slight pressure
- Can be mounted on wooden door flaps and for door flaps with aluminum frame
- Gentle push helps in opening and closing of the Flap/ Cabinet Door
- The mechanism is made of Zinc Alloy and the mounting bracket of steel.
- Flap weight bearing capacity is from 4kg - 20kg
- **Finish:** Black, Nickel plated & White
- **Flap height up to 500 mm**






Lid Stay - Duo



Adapter




Min. installation depth

ORDERING INFORMATION

	Product Description	Finish	Article No.
1	For flaps made of wood or with aluminum frame. Frame width 45mm and above	Nickel Plated	**373.66.611**

Hinges

Metalla Soft Closing




Soft Closing Damper Hinge


- Soft Close integrated into hinge arm
- Clip-on Mounting
- Material: Steel
- Finish: Nickel Plated
- Passed 48 hour salt test
- Material certified according to TUV Germany
- Cycle testing - Passed 40,000 cycles
- 3 Dimensional adjustment facility

Technical Information:


- Opening Angle: 110°
- Thickness of Hinge cup: 11.3 mm
- Diameter of Hinge cup: 35 mm
- Door Thickness: 14 - 24 mm



1 Full Overlay mounting



2 Half Overlay mounting



3 Inset mounting

Note: The Article No. contains 1 Hinge, 1 Mounting plate & 4 Fixing Screws Nickel plated

ORDERING INFORMATION

	Product Description	Article No.
1	Metalla Soft Close Hinge 110° Full Overlay	**315.07.020**
2	Metalla Soft Close Hinge 110° Half Overlay	**315.07.021**
3	Metalla Soft Close Hinge 110° Inset Overlay	**315.07.022**


Wide Angle Soft Close Metalla Hinge

Product Features:


Wide Angle Metalla Hinge with integrated Soft Close

- Material details -
  Material : Mild Steel
  Finish : Nickel Plated
- Technical details -
  3-Dimensional Adjustment
  Full Overlay Mounting
  Opening Angle : 165°
  Thickness of Hinge Arm : 11.5 mm
  Diameter of Hinge Cup : 35 mm
- Applications-
  Pantry Pullouts
  Larder units
  Tall Units
- Installation requisites -
  Door Thickness : 14 - 26 mm
  Drilling pattern : 48 x 6 mm
- Certification details -
  Salt Spray Test : Tested for 48 hrs
  Cycle Testing : 40,000 Cycles
  Material certified by TÜV Germany







1 Full Overlay mounting with mounting plate



K	3	4	5	6	7
D	17	18	19	20	21



Hinge Drilling Distance:



H - Mounting plate thickness (H=0)
K - Distance to the cup from the edge of the door
D - Door Overlay
T - Door Thickness / Side Panel
L - Gap

Note: Article consists of 2 hinges + 2 mounting plates + 8 screws

ORDERING INFORMATION

	Product Description	Article No.
1	Wide Angle Metalla Soft Close Hinge 165°	**315.07.012**


Kubikina Hinge




- Area of application: For overlay or inset mounting.
- Opening angle: 180°.
- Material: Zinc alloy/plastic.
- Installation: For screw fixing.
- Adjustment facility: Height ± 1.5 mm, side ±1 mm,
- Depth ± 1.5 mm (with overlay mounting),
- Height ± 1.5 mm, side ± 1.5 mm.
- Depth ± 1 mm (with inset mounting).
- 3-dimensionally adjustable for shutter alignment with millimetre accuracy.
- Minimum thickness of wood 18 mm.



1. Chrome plated matt / Grey






ORDERING INFORMATION

	Product Description	Article No.
1	Kubikina Hinge, Chrome plated matt/ Grey	**341.24.414**

Grip Profile Handles





ORDERING INFORMATION

	Product Description	Article No.
1	Finish: Silver Anodized, Length: 3000 mm	**126.27.910**

Stainless Steel Concealed Hinges


Product Features:

- Soft Close Integrated into Hinge arm
- Clip-on Mounting
- Material: Stainless Steel 304
- Finish: SS Polished
- Passed 96 Hours Salt Spray Test
- Cycle Testing: Passed 40,000 Cycles
- 3-Dimensional Adjustment
- Opening Angle: 104°
- Thickness of Hinge Arm: 11.3 mm
- Diameter of Hinge cup: 35 mm
- Door Thickness: 14-22 mm
- Drilling pattern: 48x6 mm

Product Application:

- Kitchen Under Sink Cabinets
- Coastal Areas

SS 304





Full Overlay mounting with mounting plate

Note: Article consists of 2 hinges + 2 mounting plates + 12 screws

ORDERING INFORMATION


	Product Description	Article No.
1	Stainless Steel Soft Close Hinge,48/6 mm, Full Overlay,104° Opening, SS Polished	**315.06.753**
2	Stainless Steel Soft Close Hinge,48/6 mm, Half Overlay,104° Opening, SS Polished	**315.06.754**

Aluminium Profiles




Wide Aluminium Profiles For Kitchen Shutters

With the changing trend from wooden shutters to aluminum profile shutters, here is the new range of Hafele wide aluminum profiles. These profiles are available in four trendy finishes of silver anodized, stainless steel hairline, silver polished and champagne brushed. The profiles come in length of 3 meters, which can be cut to size as per the requirement. The profiles can be installed with 4 mm glass using the transparent plastic sleeve. For rigidity and long life, the profiles are connected with steel corner connectors. These profiles are easy to clean and install.



1. Wide Aluminium Frame Profile
Glass Thickness : 4 mm
Length : 3000mm




2. Wide Aluminium Frame Profile with Handle
Glass Thickness : 4 mm
Length : 3000mm

ORDERING INFORMATION

	Product Description	Article No.
1	Aluminium frame profile (S. S. Hairline)	**563.47.003**
2	Aluminium frame profile with Handle (S. S. Hairline)	**563.47.013**
3	Corner connector galvanised finish (Consists of 4 connectors & 16 screws) 68 X 68 X 2.5 (thickness) mm	**563.62.590**

Narrow Aluminium Profiles For Kitchen Shutters

Hafele introduces the new range of narrow aluminum profiles for kitchens. The profiles are available with four contemporary finishes of silver anodized, stainless steel hairline, silver polished and champagne brushed. The profiles come in length of 3 meters, which can be cut to size as per the requirement. It can be installed with 4 mm glass using the transparent plastic sleeve. For rigidity and long life, the profiles are connected with steel corner connectors. These profiles are easy to clean and install and enhances the aesthetics of kitchen.



Transparent Plastic Sleeve
(For the above aluminium profile)



Note: (Applicable only for option 2)
1) Best with Aventos (Narrow Aluminium Frames).
2) Milling is required for fixing hinges.

ORDERING INFORMATION

	Product Description	Article No.
1	Transparent plastic sleeve Dimension (L X W X H) mm: 3000 X 5 X 6	**563.74.483**

Kitchen Handles

Stainless Steel Furniture Handles



1 SS Matt



2 SS Matt



2 SS Matt

ORDERING INFORMATION

	Product Description	Article No.
1	Stainless Steel 10 mm round rail bar handle c/c 128 mm c/c 160 mm c/c 224 mm	 **101.20.072** **101.20.073** **101.20.075**
2	Stainless Steel 10 mm round bar handle c/c 96mm c/c 128mm c/c 160mm c/c 224mm	 **117.40.051** **117.40.052** **117.40.053** **117.40.055**
3	Stainless Steel 10 mm round bow handle c/c 96 mm c/c 128 mm c/c 160 mm c/c 224 mm	 **100.69.001** **100.69.002** **100.69.003** **100.69.005**

Aluminium Furniture Handles



1 Silver Anodized




2 Silver Anodized



3 Silver Anodized



4 Black Anodized



5 Silver Anodized

ORDERING INFORMATION

	Product Description	Black Anodized	Silver Anodized Aluminium
1	Aluminium furniture handle c/c 160 mm c/c 224 mm		 **107.55.933** **107.55.935**
2	Aluminium furniture handle c/c 160 mm c/c 224 mm		 **100.90.933** **100.90.935**
3	Aluminium furniture handle c/c 160 mm c/c 320 mm		 **110.71.933** **110.71.938**
4	Aluminium furniture handle c/c 128 mm c/c 160 mm c/c 192 mm c/c 224 mm	 **110.46.300** **110.46.301** **110.46.302** **110.46.303**	
5	Aluminium furniture handle c/c 64 mm c/c 128 mm c/c 160 mm c/c 224 mm		 **100.77.931** **100.77.932** **100.77.933** **100.77.935**

Furniture Handles (Zinc Alloy)



ORDERING INFORMATION

	Finish	C to C	Article No.
1	Polished Chrome	256 mm	**101.10.102**



ORDERING INFORMATION

	Finish	C to C	Article No.
1	Polish Chrome	320/256 mm	**101.11.217**
2	Polish Chrome	160/128 mm	**101.11.218**



ORDERING INFORMATION

	Finish	C to C	Article No.
1	Polish Chrome	320 mm	**101.11.279**

Profile Handle



ORDERING INFORMATION

	Size	Finish	C to C	Article No.
1	550 mm	Chrome Plated	448 mm	**126.10.303**
2	320 mm	Chrome Plated	450 mm	**126.10.302**
3	250 mm	Chrome Plated	160 mm	**126.10.301**

Designer Furniture Handles (Zinc Alloy)




ORDERING INFORMATION

	Finish	C to C	Article No.
1	CP	160 mm	**111.87.210**
2	Nickel Brushed	160 mm	**111.87.211**

Gola Profile Handles

Grip Profile Handle
Material: Aliminium Anodized






ORDERING INFORMATION

	Length	Article No.
1	2500 mm	**126.15.901**


Aluminium Grip Profile Handles







1 Grip profile handle








2 Grip profile handle





3 End caps

ORDERING INFORMATION


	Product Description	Aluminium Anodized	Silver Coloured
1	Aluminium grip profile, Length 3000 mm		
2	Grip profile handle, 2500 mm	**126.39.925**	
3	End Caps for 126.39.925, Plastic		**RHS 126.39.997** **LHS 126.39.998**


Aluminium Grip Profile Handles

The aluminium grip profiles enhance the straight lines of drawers and doors in the kitchen making it more elegant.

Available in exclusive designs, these profiles are individually anodized to ensure high quality surface finish.

The high quality processing is reflected at the smooth edges of the profiles thus making it a very user friendly product.






1 Grip profile handle



2 Grip profile handle



3 Grip profile handle



4 Insert Handle

ORDERING INFORMATION

	Product Description	Aluminium Anodized
1	Grip Profile Handle, 2500 mm	**126.34.925**
2	Grip Profile Handle, 2500 mm	**126.35.925**

Aluminium Grip Profile Handles





1 Grip profile handle




2 Grip profile handle

ORDERING INFORMATION

	Product Description	Aluminium Anodized
1	Grip Profile Handle, 2500 mm	**126.35.945**
2	Grip Profile Handle, 2500 mm	**126.14.901**

Grip Profile Handles






ORDERING INFORMATION

	Finish	Length (mm)	Aluminium Anodized
1	Silver Anodized	3000	**126.27.910**


Aluminium Grip Profile Handles








1 Grip profile handle



2 Grip profile handle



3 Grip profile handle

ORDERING INFORMATION


Product Description		Silver Anodized
1	Aluminium grip profile: Length 3000 mm	**126.51.910**
2	Aluminium grip profile: Length 2500 mm	**126.20.905**
3	Aluminium grip profile: Length 2500 mm	**126.21.902**
4	Aluminium grip profile: Length 2500 mm	**126.22.900**

Waste Bins

Wasteboy - Waste Bin System



- Compact, space-saving design for installation under the siphon in the sink base cabinet
- For door widths from 400 mm upwards
- Stable frame construction
- Waste bins and frame injection-molded from resistant and recyclable polymers
- Minimum transport and storage volume due to telescopic waste bins
- Waste bins: 2 x 16 litres (double separation)
- Clever bin liner fixation
- A resistant finish, an optimized design and small gap sizes between handles and bins allow a clean and hygienic waste separation
- Pull-out runners ensuring extremely smooth running
- Simple base mounting
- Optionally with cover plate offering additional storage space









ORDERING INFORMATION

	Product Description	Article No.
1	Wasteboy for 400 mm cabinet 2x16 litre dark grey	**503.74.504**

Eco Centre Waste Bin for Cabinets




- Containers swing out automatically upon opening the door.
- No additional loading on the front.
- The lid rises slightly upon opening, and moves back snugly against the container upon closing.
- Simple removal of the entire system for cleaning of the cabinet.
- Capacity up to 18 litres.




1 Eco center / 1 Bin capacity (18 litre)




2 Eco center / 2 Bins capacity (9 litres each)



Cabinet Dimensions:
Height: 525 mm, Width: 400 mm



1 x 18 litres



2 x 9 litres


ORDERING INFORMATION

Product Description		Article No.
1	Eco center / 1 bin including 1 x 18 litre bin (1 set)	**502.79.500**
2	Eco center / 1 bin including 2 x 9 litre bin (1 set)	**502.79.501**

Under Sink Detergent Pullout




- Convenient access to cleaning material.
- Slides out easily.
- Weight bearing capacity 15 kgs + 1 Ltr (Additional tray).
- Made out of high grade plastic





1 Under sink detergent pullout



ORDERING INFORMATION

	Product Description	Article No.
1	Under sink detergent pullout	**503.32.593**


Detergent Rack & Waste Bin Holder

The new detergent storage systems from Hafele fit snugly into your under-sink cabinets and prove to be an ideal solution for storing detergents and other cleaning agents.

Bottom Mounted Detergent Pull-out:
This Detergent Pull-out is fixed on the base of the under-sink cabinet and comes with an integrated dampened self-closing technology. The mild steel wire baskets are chrome-plated and can carry weight loads up to 30 kgs. The frame and rails are grey-powder coated and perfectly complement the baskets in finish and elegance.

Specifications:
- Ideal for Cabinet width of 400 mm (minimum 300 cabinet width)
- Load Carrying Capacity: 30 kg
- Finish: Wire Basket: Chrome plated
  Frame: Grey-powder coated





1 Bottom Mounted Detergent Rack

ORDERING INFORMATION

	Product Description	Dimensions (L x W x H) mm	Article No.
1	Bottom Mounted Detergent Rack for Cabinet Width 400 mm Cabinets	466 x 286 x 475	**548.07.253**


Kitchen Accessories

Wine Glass Holder



Wine-glass holders are:

- **Sturdy and Stylish:** high grade steel with a chrome finish provides reliable quality and elegant style
- **Easy to access:** can be easily mounted under the kitchen cabinets with glass stems hung downward from parallel slots; glasses can easily slide out of the broad opening in the front
- **Non-corrosive:** high grade steel and chrome finish prevent the holders from corrosion and can therefore sustain the humidity within wet kitchens
- **High in utility:** comes in two sizes (8 glasses and 16 glasses) that can be mounted depending on the cabinet space available and storage requirement



1 Quad Wine Glass Holder (2 slots)


ORDERING INFORMATION


	Product Description	Size (mm)	Finish	Article No.
1	Double wine glass holder (2 slots), Diameter of glass base: between 40-70mm, Glass holding capacity: 8 glass (2 slots), Material: Steel.	340 x 216 x 70	Chrome	**544.05.240**

Work Top Extension

The Work Top Extension is used to increase work space in the kitchen. Activities like chopping vegetables or using small appliances like juicer, mixers etc can be done on it. It can be fixed in carcase width of 600 mm. **Load capacity of 100 kgs.** We get 800 mm of work space when it is extended and it can be closed when it is not required as it disappears in a drawer. It optimizes space in the kitchen.







ORDERING INFORMATION

	Product Description	Article No.
1	Work top extension	**505.58.002**

Mid-Way Systems



Häfele's New Midway Systems will help you multitask like a pro! These systems encompass functionality and practicality and can snugly fit into the space between the worktop and wall units. You can efficiently store regularly used items on these systems rather than having to rummage the depths of a cabinet.

These stylishly wired midway systems enable you to optimise your kitchen storage space and easily blend in with your kitchen aesthetics thanks to their popular, sleek chrome finish.

Specifications:
- Material: Mild Steel
- Finish: Chrome Plated



1 Mid-Way System I

Mid-Way System I
- Width: 705 mm
- Consists of:
  - 2 x 342.5 mm chrome tube [15 (H) x15 mm (D)]
  - 2 x end caps
  - 1 x connecting bush
  - 3 x wall fixings
  - 3 x caps
  - 1 x multipurpose rack (width: 325 mm)
  - 1 x spice rack and kitchen roll holder (width 310 mm)



2 Mid-Way System II

Mid-Way System II
- Width: 1500 mm
- Consists of:
  - 2 x 750 mm chrome tube rails(ø 16 mm)
  - 3 x rail supports
  - 3 x wall fixings
  - 2 x end caps
  - 5 x hooks
  - 1 x multipurpose rack (Width: 451 mm)
  - 1 x 3 tier food wrap holder (Width: 325 mm)
  - 1 x spice rack (Width: 355 mm)
  - 1 x connecting bush



3 Mid-Way System III

Mid-Way System III
- Width: 1030 mm
- Consists of :
  - 2 square tubes 15 x 15 mm (515 mm each)
  - 1 connecting junction
  - 2 end-caps & fixing fittings
  - 1 roll holder with single shelf
  - 1 double spice rack
  - 1 cutlery holder with 4 hooks

ORDERING INFORMATION

	Product Description	Height (mm)	Width (mm)	Depth (mm)	Article No.
1	Mid-Way System I	200	705	150	**522.48.203**
2	Mid-Way System II	350	1500	170	**522.48.202**
3	Mid-Way System III	200	1030	150	**522.48.199**

Blum ORGA-LINE Plate Holder & Spice Holder

ORGA-LINE **Plate holder**: 12 plates can be securely stored on the plate holder. This is an easy way to store and transport dishes while setting up a large table. (Dish washer safe)



1 ORGA-LINE Plate holder



2 ORGA-LINE Spice holder

ORGA-LINE **Spice holder:** In the spice holder you can store around 10 bottles of spices and transport them easily. The spice holder easily fits in drawers. The base stabilizer of the spice holder provides additional support in larger pull-outs. It can easily be put on the work surface while cooking for easy access. (Dish washer safe)

ORDERING INFORMATION

	Product Description	Size	Article No.
1	ORGA-LINE Plate holder		**B13.66.848**
2	ORGA-LINE Spice holder	For cabinet width 300 mm	**B64.84.430**

Dish Rack & Cutlery Holder




The Dish rack series is an innovative idea designed with a stainless steel draining board and clear plastic supports that can be easily adjusted on the grid. The plastic parts are made of non-toxic material and can be washed in a dish washer. Available for cabinet widths 450 mm, 600 mm and 900 mm.



1 a b Free standing dish rack for 450 / 600 mm cabinets



2 a b Built in dish rack for 600 / 900 mm cabinets



3 a b Built in dish rack with designer plastic holders for 600 / 900 mm cabinets



4 a Glass & Plate rack for 600 mm cabinet width (for up to 16 plates & 4 thalis)



4 b Glass & Plate rack for 900 mm cabinet width (for up to 22 plates & 9 thalis)

ORDERING INFORMATION

	Product Description	Size (mm)	Article No.
1	Built in dish rack	Width 600	**544.07.083**
2	Built in dish rack	Width 900	**544.07.086**

Plate Organiser For Drawer

Easy access; clear overview; organized storage!

Häfele brings to you another kitchen accessory which ranks high on functionality. The plate storage rack facilitates easy storage and organization of your entire range of plates.


Features:


- Plate organization available in silver texture
- For organizing plate storage in the kitchen
- Plates go straight from the dishwasher into the rack
- Giving you instant access to the plate you require
- The plate rack is available in the size D 500 mm/ W 900mm / W 600 mm

Material: Polystyrene


Number of plates: 43 plates

Thickness of the plate: 2.5 mm / suitable for 16,18 and 19 mm wall thickness / carcass (adaptable)





1 Plate organiser for drawer




2 Plate organiser for drawer

ORDERING INFORMATION

	Product Description	Width (mm)	Height (mm)	Article No.
1	Plate organiser for drawer	800-84	60	**556.50.557**
2	Plate organiser for drawer	500	60	**556.50.556**

Plinth Systems





1 Plinth system - silver



2 Plinth system - aluminium matt


Plinth systems are mainly used in the kitchen cabinet to avoid dust and water from settling below the cabinet. It is a very simple system which is clipped onto the cabinet legs. This is equipped with a rubber seal to prevent water from getting under the kitchen cabinet. Plinths are coated with a PVC sheet on the reversed side. Plinth systems are available in different finishes like Stainless Steel, Alumimium, Black, Silver & White Gloss to mach the fronts of your cabinets.

Plinth height available 100 mm & 150mm.

ORDERING INFORMATION

	Product Description	Height (100 mm)
1	Plinth system - silver	**713.27.970**
2	Plinth system aluminium matt	**713.27.170**

Plinth Systems



1 90° Joint Cap 2 mm Radius

ORDERING INFORMATION

	Finish	Product Description (100 mm)
		90° Joint Cap 2 mm Radius
1	Silver	**713.27.916**

Plinth Legs

Plinth legs from Hafele help holding the cabinet's weight easily. Each plinth leg can be adjusted between 5mm to 10mm, to level out any irregularities in the carcass and makes the entire cabinet stand on the same plane. Plinth leg systems are perfect to add stability to kitchens.





1 Plinth adjusting foot - 3
Plastic, Black




2 Plinth clip groove mounting -
Plastic, Black

ORDERING INFORMATION

	Product Description	Size (mm)	Article No.
1	Plinth adjusting foot with cover cap, plastic, black	Height 100	**637.27.301**
2	Plinth clip groove mounting, plastic, black		**637.27.380**


Drawer Mats




Hafele introduces drawer mats with new range of finishes and material. The color options to choose from fiber mats are Umbra Grey, Black and Stone Grey. In the new felt finish we have Dove Grey, White and Anthracite. The new felt finish mats are made of anti-bacterial fiber. These mats are coated with anti-slip surfaces to provide a better grip to the items placed on it. These mats are best suited for drawers and shelves.The mats are made as per the European standard and are highly safe to be used in kitchen drawers.




1 Ago-fibre Umbra Grey



2 Ago-fibre Black



3 Ago-Tex Black



4 Ago-Solid Stone Grey



5 Dove Grey



6 Anthracite Embossed

7 White

ORDERING INFORMATION

	Product Description	Size	Article No.
1	Ago-Fibre Non Slide Matt For Drawer Finish Umbra Grey	500 x 2100 mm	**555.10.111**
2	Ago-Fibre Non Slide Matt For Drawer Finish Black	500 x 2100 mm	**555.10.112**
3	Ago-Tex Non Slide Matt For Drawer Finish Black	500 x 2100 mm	**555.10.222**
4	Ago-Solid Non Slide Matt For Drawer Finish Stone Grey	500 x 2100 mm	**555.10.333**
5	PVC Mat, Dove Grey	5 meters x 1440 mm	**152.01.721**
6	PVC Mat, Anthracite Embossed	5 meters x 1440 mm	**152.01.722**
7	PVC Mat, White	5 meters x 1440 mm	**152.01.723**

NOTES

NOTES

NOTES

NOTES

HÄFELE

Bangladesh Design Center
House - 106, Road - 12, Block - E, Banani, Dhaka - 1213
Phone – 01844018431-39

Bangladesh Office
2nd Floor, House – 181, Road - 2, Mohakhali DOHS, Dhaka - 1206.
Phone – 01844018431-39