

www.signaturekitchen.com

SIGNATURE™
KITCHEN

# Maximising the value of space. Together.

Hafele's history is a story of consistent movement from furniture to the door into the room. Our path has led from functionality to atmosphere and connectivity and on to a sustainable view of the customer process – from product development to after sales support. In addition to our dynamic entrepreneurial spirit, this passion for meeting customer needs has been an essential part of our DNA since the foundation of the company by Adolf Hafele. And that is what we want to continue to strengthen in the future.

Hafele's brand purpose, 'Maximising the value of space. Together,' serves as a guiding compass, leading us in crafting holistic and sustainable environments for our customers where they can enjoy the multiplied benefits of their living and working spaces.

Our purpose has 4 dimensions – **Functional, Intelligent, Atmospheric and Organised.**

SIGNATURE™ KITCHEN

# OUR ADVANTAGES ARE YOUR BENEFITS.

With almost a century of experience and expertise knowledge, Häfele has been trusted by many famous architects, designers, contractors, and developers around the world, when it comes to smart home and project solutions. In Philippines, Häfele has too established our name as a reliable solution provider among professionals across the sectors of architecture, furniture, and real estate.

DEUTSCHE QUALITÄT
SEIT 1923
GERMAN QUALITY. SINCE 1923

### GERMAN QUALITY

Häfele's solutions are developed with German technologies and quality standards to be of the highest functionality, offering you easiness that will translate into efficiency.

### AVAILABLE FROM STOCK


As Häfele boasts large distribution centers around Philippines, almost everything you need is ready for order.

### FAST DELIVERY

Door-to-door service. With speed.

### TAILOR-MADE SOLUTIONS

Häfele's solutions come with huge customizability to be perfectly suited for every different need.



## QUALITY CERTIFICATES

All Häfele products have successfully passed performance tests and quality assurance tests that are strictly set based on various mandatory requirements in order to make sure that our products meet international as well as national quality standards.

TÜVRheinland®
EMAS
ISO 14001
ISO 9001
SGS
DEUTSCHE QUALITÄT
SEIT 1923
GERMAN QUALITY. SINCE 1923

# CONTENTS



CABINET MATERIALS

PAGE 01



KITCHEN SOLUTION

PAGE 09



CLOSET SOLUTION

PAGE 28



BASIN VANITY SOLUTION

PAGE 31



HANDLES

PAGE 34



# CABINET MATERIALS

# CARCASE




## Premium Plywood

- 7 layers solid wood sheets, dispatch the stress 40% loading capacity higher than other carcase material.
- Strong screw holding capacity to keep structure stable and long lasting service.
- Heat and moisture resistant
- Quality assurance for long-lasting kitchen solutions



## Particle Board

- Wood chips cold pressed by 300 tons/$m^2$ with superior screw holding capacity and load bearing capacity.
- Keeping stable structure and long lasting service.
- Easy to clean and protect the carcase from chemical injury.
- Formaldehyde emission $\leqslant$1.5mg/L, eco-friendly and complying with European class E1 standard.




## PVC Edging

- Front edge is sealed with 1.2mm thick PVC by HOMAG edge bander with extreme accuracy and precision while other side edges are sealed with 0.5mm thick PVC.

- Eco-friendly seal adhesive to guarantee tight seal and eco-friendliness.

# SHUTTER



## Premium Plywood

- Available in multiple thickness options (6mm, 12mm, 18mm, 25mm) to suit diverse applications.
- Trusted local brands (Ahmed and Super) ensure dependable performance.
- Imported plywood options available based on client requirements.
- Smooth surface finish for easy laminate and veneer installation.



## Particle Board

- Manufactured from wood particles bonded with resin under heat and pressure
- Available in different grades and thicknesses for varied applications
- Smooth and uniform surface suitable for laminates, veneers, and paint finishes
- Cost-effective alternative to solid wood and plywood
- Lightweight yet stable for interior furniture and cabinetry



## MDF Board


- Made from fine wood fibers bonded with resin under high pressure and temperature.
- Provides a smooth, uniform surface ideal for painting, laminates, and veneers
- Available in multiple thicknesses for different applications
- Stronger and denser than particle board, offering better durability



## PVC Edging

- Made from durable polyvinyl chloride material, resistant to moisture.
- Provides a smooth, sealed edge for plywood, particle board, MDF.
- Available in multiple thicknesses, widths, and colors to match board finishes
- Easy to apply with heat or adhesive, ensuring strong bonding
- Protects edges from chipping, cracking, and water penetration

# SHUTTER



## Acrylic Board

- Strong adhesion ensures durability and long-lasting performance.
- Compatible with multiple board types, offering flexibility in material selection.
- Resistant to moisture and household chemicals, maintaining shine and integrity over time.
- Available in a variety of colors and thicknesses.
- Easy to clean and maintain, ensuring long-lasting beauty.



## High Pressure Laminate (HPL)

- Manufactured by pressing layers of kraft paper and decorative paper with resin under high pressure and temperature.
- Provides a hard, durable surface resistant to scratches, stains, and moisture.
- Easy to clean and maintain, suitable for heavy-use areas.
- Can be applied on plywood, particle board, and MDF substrates.

# PROFILE SHUTTER





## Aluminium Profile

- Made from high-grade aluminium alloy, ensuring strength and durability.
- Lightweight yet structurally stable for kitchen cabinets and furniture.
- Resistant to rust, corrosion, and moisture, suitable for long-term use.
- Available Color: Black, Champagne, Silver, White, Gold.



## Clear Glass Shutter

- Available in multiple finishes such as Black, Champagne, Silver, White, Gold.
- Glass shutters can be clear, frosted, tinted.
- Lightweight yet durable, making installation and handling easier.
- Smooth operation with sliding or hinged mechanisms for cabinets.



## Fluted Glass Shutter

- Made from tempered or laminated glass with vertical fluted texture.
- Strong and durable, resistant to scratches and everyday wear.
- Available in clear, frosted, tinted, and colored variations.
- Compatible with aluminium profiles and other framing systems.



## Mirror Shutter

- Provides a reflective surface that enhances light and space in the kitchen.
- Compatible with aluminium profiles and other framing systems.
- Available in different shades such as silver, grey, and bronze mirror finishes.
- Can be used in sliding or hinged shutter designs.

# FIXING KITS



### Tip-On

•Adapter plate and counter plate
•Plastic grey



### Adjustable plinth foot

•Black
•Plastic
•100mm Height
•160kg
•-5 to + 10 mm adjustment



### Panel Clip

•Base Cabinet Levelers Plastic
•Black



### Clips for Aluminum Front Panel

•Black
•Plastic



### External Corner Connector

•PVC with Aluminum film



### Aluminum Base Front Panel

•H100mmx L4000mm



### Cabinet suspension fittings

•White
•130kg per pair



### Hinge

•Steel



### Connecting screw

•Length L: 20 mm
•Length L: 50 mm



### Shelf support

•Plastic with steel pin
•Wooden and glass shelves
•Load bearing capacity 3.1 kg per pc



### Connecting bolt

•Length : 11 mm



### Connector housing

•Häfele Minifix® 15
•Nickel Plated



### Cover cap

•Häfele Mini fix® 15




### Glass Shelf support

•glass shelves
•Load bearing capacity 3.1 kg per pc

# Counter Top

## GRANITE



## QUARTZ



## SOLID SURFACE



## SINTERFLEX



Note: All items are outsourced and supplied directly from the market, based on client preference.

SIGNATURE™ KITCHEN

# Lighting

## CREATE YOUR LIGHTING SYSTEM



### SPOT LIGHT.

LED furniture recessed downlight 2.9W 12v DC , 2700k warm white.
This LED recessed downlight for furnitures.The recessed LED downlight has a sealing class of IP44, keeps the LED's dust and moisture free.



### LED NEON STRIP LIGHT

Flexible design, easy to bend and install. Uniform glow, no visible LED dots. Waterproof IP65. Available in multiple kelvin and lengths.
Body material : Silicone.



### SENSOR.

Detects motion & touch.
High sensitivity, ensures accurate response.
Compact design, easy installation.



### POWER UP.

Input voltage range: 100–240V AC.
Output options: 12V or 24V DC.
High efficiency, low energy loss design.
Overload, short-circuit, and overheat protection.

# KITCHEN SOLUTION




# WHICH KITCHEN ZONES SHOULD YOU PLAN?


Kitchen Layouts

SIGNATURE™ KITCHEN


U Kitchen




Island Kitchen



G Kitchen






**CONSUMABLES**
This kitchen zone contains typical consumer goods such as canned goods, rice and pasta as well as refrigerated and frozen foodstuffs. In simple terms most grocery shopping is stored in this zone.


**NON-CONSUMABLES**
This kitchen zone is used to store items such as dishes, glasses and cutlery. It is also an ideal location for "odd and ends" storage (i.e. stationery, pens, household paperwork, etc)

**CLEANING**
This zone contains space for waste collection and storage as well as household cleaners and cleaning utensils. It is also the location of the sink and the dishwasher.

Galley Kitchen



L Kitchen



Straight Kitchen






There have been studies regarding the kitchen work flows & their optimisation. Its based on the five zones. These five zones are the most important aspects that go into planning a kitchen.

The online zone planner quickly and easily determines your storage space requirements & helps you plan your kitchen zones.

Go to **www.dynamicspace.com** & find out for yourself.

**PREPARING**
This zone is the main work area in the kitchen. Most kitchen preparation work takes place here. Items such as; kitchen utensils, knives, small electrical appliances, chopping boards, spices and mixing bowls are all located in the preparation zone.

**COOKING**
This kitchen zone includes the hob, oven,steamer, microwave, extractor hood, pots, pans, cooking utensils and baking trays.




# Create the premium home experience you deserve.

When it comes to Kitchen, Signature Kitchen with Hafele stands as a testament to quality, innovation, and reliability. With a legacy dating back to 1923, our German brand has been delivering exceptional solutions for everyone. In a world where efficiency and quality matter more at the forefront of than ever, Signature Kitchen with Hafele stands out by offering products that elevate the entire Kitchen experience to another level.

With our high-quality products, you can invest in the future of your Kitchen, redefine the way you live, and create the premium Kitchen experience you deserve.


SIGNATURE™
KITCHEN









## Häfele Matrixbox Slim Space Tower



### Specifications

•1 106mm-Height 40 kg Inner Drawer
• 2 193mm-Height 40 kg Inner Drawers
• 2 193mm-Height 60 kg Inner Drawers
•Nominal Length 500 mm
•Cabinet Width 450 -1200 mm
•Material: Steel
•Finish: Graphite Grey

| Product Description | Article No. |
|---|---|
| Häfele Matrixbox Slim Space Tower | 554.00.805 (1PC) |
| | 554.01.905 (2 PC) |
| | 554.01.805 (2 PC) |
| | 552.19.591 (1 PC) |
| | 552.19.571 (4 PC) |
| | 311.46.594 (8PC) |

## Pull Out Larder Unit



### Specifications

• Cabinet width 450mm
• Cabinet Height 1900 - 2200 mm
• Overall load capacity 60 + 10 = 70kgS
• Number of Baskets: 5
• Finish: Metallic Anthracite

| Product Description | Article No. |
|---|---|
| 450mm | 546.80.345 |

## Swing out Chef's Pantry Unit



### Specifications

• Cabinet Width: 900mm
• Min. Internal Cabinet Depth: 500 mm
• Cabinet Height: 1900-2200 mm
• 8kg Load Bearing 12 Rear Basket
• 3kg Load Bearing 12 Swing Basket
• 2kg Load Bearing 12 Door Basket
• Total Load Bearing: 156kg
• Meterial: Steel Wire
• Finish: Basket Bright Chrome-Plated

| Product Description | Article No. |
|---|---|
| 900mm | 546.97.206 |

## Pantry Pull-Out DUSA



### Specifications

• Cabinet width 600mm
• Cabinet Height 1200 - 1450 mm
• Number of Baskets: 4
• Overall load capacity 80 + 20 = 100kg
• Finish: Chrome

| Product Description | Article No. |
|---|---|
| 600mm (PREMEA GREY) | 547.27.522 |
| 600mm (ARTLINE CHROME) | 547.27.425 |
| 450mm (PREMEA GREY) | 547.27.505 |

## Pull-Out Storage Unit (Spice and Bottle)



### Specifications

- Cabinet width 150 mm
- Minimum installation depth 520 mm
- Minimum installation height 530 mm
- Maximum load-bearing 12 kg
- Material: Steel
- Finish: Anthracite Powder Coated

| Product Description | Article No. |
|---|---|
| 150 mm | 549.37.300 |

## SIDE PULL OUT



### Specifications

- Cabinet width: 300mm
- Minimum installation depth: 500 mm
- Minimum installation height: 710 mm
- Individual Height Adjustment For Baskets
- Maximum Load-Bearing 20 kg
- Storage version: Planero

| Product Description | Article No. |
|---|---|
| 300mm | 549.09.313 |

## Häfele Matrixbox Premium Narrow Pull Out



### Specifications

- 100,000 Cycle Tested
- Lifetime Warranty
- Manufactured In Kenzingen, Germany
- Nominal Length: 500 mm
- Width: 300 - 600 mm
- Weight Bearing Capacity: 35kg
- Finish: Metallic Anthracite

| Product Description | Article No. |
|---|---|
| 300 - 600 mm | 513.24.306/513.04.316 (2SET) |
| | 553.58.395 (1 SET) |
| | 551.60.315 (1 SET) |

## Wicker Basket



### Specifications

- Cabinet Width: 600mm
- Minimum installation Depth: 500 mm
  Helps Vegetables Stay Fresh

| Product Description | Article No. |
|---|---|
| 600mm | 540.57.045 |
| | 540.57.055 |

## Recorner Maxx SMART



### Specifications

- Cabinet Width 900x900 mm
- Minimum Installation depth 500 mm
- Installation Height 700 mm
- Maximum Load-Bearing 27.5 KG Per Base
- Material: PVC Translucent

| Product Description | Article No. |
|---|---|
| PVC Translucent | 542.62.742 |

## VS-COR FLEX UNIVERSAL



### Specifications

- Can be fixed to left/right hand cabinet
- Minimum Installation depth: 500 mm
- Minimum Installation height: 700 mm
- Minimum Installation width: 900 mm
- Maximum Load-Bearing 8 KG Per Basket (8x4=32KG)

| Product Description | Article No. |
|---|---|
| Left/Right Hand Version | 548.29.343 |

## Pro Arc PowerSlide



### Specifications

- Right Hand Version
- Cabinet Width 900 mm
- Minimum Installation Depth 500 mm
- Minimum Door Opening: 450 mm
- Installation Height 700 mm
- Maximum Load-Bearing 20 KG Per Base
- Material: SOFT TOUCH PLASTIC

| Product Description | Article No. |
|---|---|
| Right Hand Version | 541.55.440 |
| Left Hand Version | 541.55.441 |

## Magic Corner Universal



### Specifications

- Can be fixed to left/right hand cabinet
- Minimum Installation depth: 500 mm
- Minimum Installation height: 700 mm
- Minimum Installation width: 900 mm
- Maximum Load-Bearing 5 KG Per Front basket
  12.5 KG Per Rear Basket

| Product Description | Article No. |
|---|---|
| Left/Right Hand Version | 589.45.289 |

## FREE UP



### Specifications

•Height Range: 430-600 mm
•Weight Bearing Capacity: 5 - 9.7kg

| Product Description | Article No. |
|---|---|
| | 372.38.132 |
| | 372.38.137 |
| | 372.38.138 |

## FREE FLAP



### Specifications

•Height Range: 200-450 mm
•Height Range: 350-650 mm
•Weight Bearing Capacity: Subject to Shutter Height

| Product Description (Height) | Article No. |
|---|---|
| Free Flap 1.7 Model B 107° | 372.38.152 |
| Free Flap 1.7 Model C 107° | 372.38.153 |
| Free Flap 3.15 Model D 107° | 372.38.154 |
| Free Flap 3.15 Model E 107° | 372.38.155 |
| Free Flap 3.15 Model F 107° | 372.38.156 |
| Free Flap 3.15 Model G 107° | 372.38.157 |
| | 372.38.163 (White Cap) |
| | 372.38.161 (Anthracite Cap) |

## FREE FOLD



### Specifications

• Cover Color: White
• Material: Steel
• Cover Cap: Plastic
• Adjustment Facility: Height, Side, Depth Of Top flap and Lower flap

| Product Description (Height; Capacity) | Article No. |
|---|---|
| 520-590 mm; 4.8- 10.3kg | 372.38.105 |
| 580 - 650 mm; 4.3 - 9.2kg | 372.38.107 |
| 580 - 650 mm; 6.5 - 13.5kg | 372.38.108 |
| 650 - 730 mm; 3.9 - 8.3kg | 372.38.109 |
| 650 - 730 mm; 5.8 - 12.2kg | 372.38.110 |
| 710-790 mm; 5.3 - 11.1kg | 372.38.111 |
| 770-840 mm; 4.9 - 10.3kg | 372.38.113 |
| 770-840 mm; 8 - 16.7kg | 372.38.114 |
| 910-970 mm, 6.8 - 14.2kg | 372.38.116 |
| | 372.38.121 (White Cap) |
| | 372.38.119 (Anthracite Cap) |

## GAS SPRING



| Product Description (Capacity) | Article No. |
|---|---|
| 10 kg | 373.82.003 |
| 10 kg | 483.98.062 |
| 15 kg | 483.98.064 |

## Under Sink Detergent Pullout



### Specifications

•Installation depth 470 mm
•Installation height 280 mm
•For cabinet width 285 mm
•Weight bearing capacity 15 kgs + 1 Ltr

| Product Description (Capacity) | Article No. |
|---|---|
| 15 kgs + 1 Ltr | 503.32.593 |

## Detergent Rack



### Specifications

•Cabinet width: 400 mm
•Cabinet Depth: 480 mm
•Cabinet Height: 500 mm
•Weight Bearing Capacity: 30 kg

| Product Description (Capacity) | Article No. |
|---|---|
| 30 kg | 549.35.271 |

## Waste Boy Waste Bins



### Specifications

•For cabinet width Min. 400 mm
•Installation height 346 mm
•Installation width 336 mm
•Installation depth 469 mm
•2x8 litre

| Product Description (Capacity) | Article No. |
|---|---|
| 2x8 litre | 503.74.504 |

## Eco center Waste Bin



### Specifications

•Installation depth 350 mm
•Installation height 525 mm
•For cabinet width 400 mm
•2x9 litre

| Product Description (Capacity) | Article No. |
|---|---|
| 2x9 litre | 502.79.501 |

## Häfele Matrixbox Slim Solid



### Specifications

•60,000 Cycle Tested
•Lifetime Warranty
•Height: (257.0 mm)
•Nominal Length: 500 mm
•Width: 450 - 1200 mm
•Weight Bearing Capacity: 40kg
•Finish: Graphite Grey

| Product Description | Article No. |
|---|---|
| 40 KG | 554.01.825 |
| 60 KG | 554.01.925 |

## Häfele Matrixbox Slim Decor



### Specifications

•60,000 Cycle Tested
•Lifetime Warranty
•Height: (193.0 mm)
•Nominal Length: 500 mm
•Width: 450 - 1200 mm
•Weight Bearing Capacity: 40kg
•Finish: Graphite Grey

| | |
|---|---|
| | 554.01.845 |

## Häfele Matrixbox Premium Push to Open



### Specifications

•100,000 Cycle Tested
•Lifetime Warranty
• Manufactured In Kenzingen, Germany
•Height: (140.0 mm)
•Nominal Length: 500 mm
•Width: 450 - 1200 mm
•Weight Bearing Capacity: 35kg
•Finish: Metallic Anthracite

| Product Description | Article No. |
|---|---|
| | 513.24.325 |
| | 551.90.161 |
| | 553.58.395 |

## MATRIX UNDERMOUNT RUNNER



### Specifications

•INTEGRATED SOFT CLOSE NL
•300MM OR 12" FULL EXTENSION
•35KG
•LOCKING BRACKET

| Product Description | Article No. |
|---|---|
| 12" | 433.09.531 |
| 14" | 433.09.532 |
| 16" | 433.09.533 |
| 18" | 433.09.534 |
| 20" | 433.09.535 |
| 22" | 433.09.536 |

## Cusio Cutlery Tray For Matrixbox Premium



Specifications

•Width: 900 mm
•Type: White Translucent
•Drawer Depth: Min. 500 mm

| Product Description | Article No. |
|---|---|
| 900 mm | 556.90.816/553.65.729 |

## Ergofit Cutlery Tray



Specifications

•Width: 600 mm/ 900 mm
•Drawer Depth: Min. 500 mm

| Product Description | Article No. |
|---|---|
| 600 mm | 556.72.528 |
| 900 mm | 556.72.531 |

## Dish Rack & Cutlery Holder (Built In)



Specifications

•Width: 600 mm / 900mm
•Material: Steel

| Product Description | Article No. |
|---|---|
| 600 mm | 544.07.083 |
| 900 mm | 544.07.086 |

## Plate Organiser For Drawer



Specifications

•Height: 60 mm
•Drawer Depth: min. 500 mm
•Number of Plate Holder: 43
•Plate Thickness: 2.5 mm
•Material: Polystyrene
•Finish: Light Grey

| Product Description | Article No. |
|---|---|
| 500 mm | 556.50.556 |
| 800-840 mm | 556.50.557 |

## Concealed Hinge



### Specifications

•Half Overlay Mounting 110°
•Door thickness: 14–24 mm
•Integrated Soft Closing
•Material: Steel
•Finish: Nickel Plated
•Salt Spray Test: 48 Hours (Passed)
•Cycle Test: 40,000 Cycle (Passed)

| Product Description | Article No. |
|---|---|
| | 315.07.020 |
| | 315.07.075 |
| | 315.07.021 |
| | 315.07.076 |
| | 315.07.022 |
| | 315.07.077 |
| | 311.90.500 |

## Wide Angle Soft Close Hinge



### Specifications

•Angle: 165°
•Material: Steel
•Finish: Nickel Plated
•Slat Spray Test: 48 Hours (Passed)
•Cycle Test: 40,000 Cycle (Passed)

| Product Description | Article No. |
|---|---|
| | 315.07.012 |

## Metalla 510 Concealed Hinge EN 15570



### Specifications

•Full Overlay Mounting 105°
•Door thickness: 15-24 mm
•Integrated Soft Closing
•Material: Steel
•Finish: Nickle Plated
•Salt Spray Test: 48 Hours (Passed)
•Cycle Test: 200,000 Cycle (Passed)

| Product Description | Article No. |
|---|---|
| 15-24 mm | 311.46.591 |
| 15-24 mm | 311.46.590 |
| 15-24 mm | 311.46.592 |
| 15-24 mm | 329.19.023 |
| 15-24 mm | 329.19.022 |
| 16-28 mm | 311.46.594 |
| 20 mm | 311.46.593 |

## Wall Hanging Track




Specifications

•Stainless Steel Optic
•W600xD20xL18mm
•W1200xD20xL18mm
•W1500xD20xL18mm
•W1800xD20xL18

| Product Description | Article No. |
|---|---|
| 600mm | 521.86.000 |
| 1200mm | 521.86.001 |
| 1500mm | 521.86.002 |
| 1800mm | 521.86.003 |

## Towel Rail



Specifications

•Stainless Steel Optic
•W485xD80xL40mm

| Product Description | Article No. |
|---|---|
| 485mm | 521.87.050 |

## Shelf with Storage Boxes




Specifications

• Stainless Steel Optic / Oak
•W485xD80xL105mm

| Product Description | Article No. |
|---|---|
| 485mm | |

## Spice Can Holder



Specifications

•Stainless Steel Optic
•W485xD80xL61.5mm

| Product Description | Article No. |
|---|---|
| 485mm | 521.87.090 |

## Vetra 90



### Specifications

•Airflow:  1200 m3/hr
•Finish: Black Glass + Black Steel
•Motor: 260W
•Control: Electronic Touch With Display
•Extraction Level: 3 Speed Level
•Smoke Panel: Perimetric Airflow Technology
•Timer Function: Yes
•Filters: Aluminium Mesh Filters
•Lighting: LED
•Earthing is a must
•Ducting Pipe Has To Be Of 6 Inches
•Product Dimensions: (WXDXH)
•900*600*650mm

| Product Description | Article No. |
|---|---|
| 90 cm Wall Mounted Cooker Hood | 538.81.573 |

## Frida 90



### Specifications

•Airflow: 750m3/hr
•Finish: Ceramic Glass
•Motor: 260W
•Control: Feather Touch Display
•Extraction Level: 3 Speed Level
•Timer Function: Yes
•Filters: Baffle Filter
•Lighting: LED
•Design: Angled Wall Mounted
•Earthing is a must
•Ducting Pipe Has To Be Of 6 Inches
•Product Dimensions: (WXHXD)
•900*620*570mm

| Product Description | Article No. |
|---|---|
| 90 C m Wall Mounted Hood With Anti-Drip Technology | 536.88.313 |

## NEBEL NERO 90



### Specifications

•Airflow: 750 $m^3$/h
•Finish: Black Metallic
•Motor: 190W
•Control: Push botton control
•Extraction Level: 3 Speed Level
•Timer Function: No
•Smoke Panel: 3 Aluminium Mesh Filters
•Filters: 5 Layer Mesh Filter
•Lighting: LED
•Design: Decorative Metal Design
•Earthing is a must
•Ducting Pipe Has To Be Of 6 Inches
•Product Dimensions: (WXHXD)
• 900mm X 780mm X 500mm

| Product Description | Article No. |
|---|---|
| 90 cm Wall Mounted Cooker Hood | 533.87.215 |

## TERESA 90 Plus



### Specifications

•Airflow: 900m3/hr
•Finish: Black Glass
•Motor: 258W
•Control: Feather Touch Display
•Extraction Level: 3 Speed Level
•Timer Function: Yes
•Smoke Panel: Auto Open
•Filters: Filter Free
•Lighting: LED
•Design: Angled Wall Mounted
•Earthing is a must
•Ducting Pipe Has To Be Of 6 Inches
•Product Dimensions (WXD)
•900mm X 410mm

| Product Description | Article No. |
|---|---|
| 90-C M Filter Free Cooker Hood | 538.82.213 |
| | 533.83.654 |

## ALTIUS PLUS MATT 490



### Specifications

NO MORE SPILLAGE ENTERING THE INNER CAVITIES
•Finish: 8mm Tempered Glass (Matt)
•Design: 4 Burner
•Safety: Flame Failure Safety Device
•Ignition: Auto Igntion (Battery Powered) 1.5 VOLT
•Pan Support: Cast Iron
•Knobs: Metal Alloy
•Burner Material: Full Brass Burners
•Burner Design: Direct Flame
•Triple Flame Burner: 2 X 4.0kW
•Dual Flame Burner: 2 X 1.7kW
•Outer Product Dimensions (WXDXH)
•860 X 520 X 135 mm
•Cut out Dimensions (WXDXH)
•825 X 475 mm

| Product Description | Article No. |
|---|---|
| 86 cm Built-in Fully Sealed Gas Hob | 538.66.759 |

## Altius FS 378



### Specifications

NO MORE SPILLAGE ENTERING THE INNER CAVITIES
•Finish: 8mm Toughened Matt Beveled Glass
•Design: 3 Burner
•Safety: Flame Failure Safety Device
•Ignition: Electric Auto
•Pan Support: Heavy-Duty Cast-Iron
•Knobs: Premium Gunmetal Finish Metal Knob
•Burners: Vortex Flame Brass Burners
•Wok Burner: 2 X 4.0kW
•Dual Flame Burner: 1 X 1.5kW
•Earthing is a must
•Outer Product Dimensions (WXDXH)
•780mm X 450mm X 135mm
•Cut out Dimensions (WXDXH)
•685mm X 405mm X 110mm

| Product Description | Article No. |
|---|---|
| 78 Cm Fully Sealed Built - In Hob | 538.66.227 |

## BELLA 30



### Specifications

•Cooking Zones: 2 Induction Zones
•Worktop Design: SCHOTT Glass
•Worktop Control: Full touch interface
•Power Levels: 9 stage
•Keep Warm Function: Yes
•Front: Ø 14 cm, 1500 W
•Back: Ø 18 cm, 2000 W
•Residual Heat Indicator: Yes
•Electrical Requirement
•220/240 V, 50/60 Hz, 24 A, 3500 W
• 6rm Cable Is a Must
• Power Source Has to be Individual
•Earthing is a must
•Product Dimensions (WXHXD)
•288 mm X 58 mm X 520 mm
•Cut out Dimensions (WXD)
•260 mm X 490 mm

| Product Description | Article No. |
|---|---|
| 30 cm Domino Induction Hob | 538.01.501 |
| | 538.01.491 |

## BBQ BI 01



### Specifications

•Finish: Stainless Steel
•Design: Inox
•Control: Knob
•Ignition: Electric
•Comfort: Easy to clean Enamel Grill
•Cooking: Lava Stone
•Indicator: Heating
•4rm Cable Is a Must
• Power Source Has to be Individual
•Earthing is a must
•Outer Product Dimensions (WXDXH)
•288mm X 510mm X 50mm
•Cut out Dimensions (WXDXH)
•268mm X 485mm X 100mm

| Product Description | Article No. |
|---|---|
| 30cm Built In Barbecue Grill | 536.02.599 |

## J70 BIO PLUS



### Specifications

•Energy efficient class: A
•Volume oven cavity: 70L
•Ultra cool door: Triple glass insulation
•Enamel: High temperature resistant enameling
•Comfort: LED Display
•One-touch selection
•Molded flexible 5 pullout shelves
•Food Probe and Rotisserie
•Adjustable temp. up to 250°C
•4rm Cable Is a Must
• Power Source Has to be Individual
•Earthing is a must
•3 level grill variation
•10 cooking modes
•Shallow baking tray: 1
•Deep baking tray: 1
•Grill grate: 1
•Product Dimensions (WXHXD)
•595mm X 595mm X 568mm

| Product Description | Article No. |
|---|---|
| 60 CM Built-In Oven | 538.01.321 |
| | J70 BIO (538.01.001) |
| | J70 BIO (538.01.351) |

## Diamond 50 MWO



### Specifications

•Energy efficient class: A
•Volume oven cavity: 50L
•Function: Combi microwave
•Inner Cavity: Stainless Steel
•Comfort: White display, Slider Touch Controls
•Max Power Output (Microwave) 900W
•Max Power Input (Grill) 220W
•Max Power Input (Convection) 1700W
•4rm Cable Is a Must
• Power Source Has to be Individual
•Earthing is a must
•Grill Rack 1
•Product Dimensions (WXHXD)
•594mm X 454.5mm X 550mm

| Product Description | Article No. |
|---|---|
| 50 Cm Combi-Microwave-Oven | 538.01.431 |

## J34MWO



### Specifications

•Energy efficient class: A
•Volume oven cavity: 34L
•Function: Microwave + Grill + Convection
•Inner Cavity: Stainless steel
•Comfort: J Series Smart Display
•One touch selection
•Turntable Ø 314mm
•10 Auto Cook Menu
•5 Microwave power levels
•Max Power Output (Microwave) 1000W
•Max Power Input (Grill) 1100W
•Max Power Input (Convection) 1250W
•4rm Cable Is a Must
• Power Source Has to be Individual
•Earthing is a must
•Turntable: 1
•Grill Rack: 1
•Product Dimensions (WXHXD)
• 595mm X 388mm X 467.5mm

| Product Description | Article No. |
|---|---|
| 39 cm Built In Microwave Oven with Grill and Convection | J32MWO (538.31.130) |
| | J32MWO (538.31.380) |

## RIBB 70



### Specifications

•Energy efficient class: A
•Volume oven cavity: 70L
•Ultra cool door: Triple glass insulation
•Enamel: High-quality enamel
•Comfort: Electronic Display with 2 Jog Dial
•Jog Dial Selection
•Fully extendable telescopic shelves
•Food Probe and Rotisserie
•Adjustable temp. up to 250°C
•4rm Cable Is a Must
• Power Source Has to be Individual
•Earthing is a must
•3 level grill variation
•10 cooking modes
•Shallow baking tray: 1
•Deep baking tray: 1
•Grill grate: 1
•Product Dimensions (WXHXD)
•595 mm X 595 mm X 575 mm

| Product Description | Article No. |
|---|---|
| 60 cm Built-In Oven | 534.05.541 |
| | 538.01.361 |



Topaz R2418D



BLANCO NAYA XL 9



Emerald R3618



BLANCO METRA XL 6 S



Sapphire R3618



BLANCO PLEON 9



BLANCO LINUS-S



GROHE SINK MIXER



BLANCO MIDA-S

# CLOSET SOLUTION













Wardrobe Lift



Multi-Function
Trouser Pullout



Leather
Storage Box



Pvc
Rattan
Basket



Shoe Rack
Pull Out



Oval Cloth
Hanger Rail



Ironing board
(Ironfix)




Kabi Block
Digital Furniture
Lock

# BASIN VANITY SOLUTION













# VANITY FIXING KITS



Fixing Set



U-Shape Cutout



Mounting set



Drawer Runner



Hanging Bracket



Hinge



FURNITURE HANDLE



EDGE PULL HANDLE



FINGER PULL HANDLE



DIY HANDLE



REAR MOUNTED HANDLE



FURNITURE KNOB



FURNITURE HANDLE



CABINET HANDLE



PROF.GRIP ALU.SILVC. 2500MM



HANDLE PROFILE J SHAPE



ALUMINIUM HANDLE PROFILE 2500MM



HANDLE PROFILE J SHAPE



MAGNETIC PUSH CATCH GREY

SIGNATURE™
KITCHEN

## Product Inquiry

Email: design@signature-kitchen.net
Phone +8801721605754

## Showroom Address

**Banani**

H#108 Road12, Block-E,
Banani, Dhaka-1212

**Mitali Shower & Kitchen**

1,Municipal Shopping
Complex (Love Lane)
Chattogram

**Hafele Design Centre**

H#106 Road12, Block-E,
Banani, Dhaka-1212